

**Diamond Grinding & Polishing Plate for Granite Slab TW11**
**花岗岩大板用金刚石磨盘**
**Snap Locking Type (卡扣式磨盘) TW111 :**
**TW1111**
**Metal**
**Metal bond (金刚磨盘) :**


Diameter (直径)	8" (φ200mm)/10" (φ220mm)
Segment Size (刀头尺寸)	40×7×10/30×7×10mm
Grit (目数)	#50 #100 #200 #400 #500 #800
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)

**TW1112**
**Resin**
**Resin bond (树脂磨盘) :**


Diameter (直径)	8" (φ200mm)/10" (φ220mm)
Segment Size (刀头尺寸)	
Grit (目数)	#500 #800 #1500 #3000
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)

**TW1113**
**Sponge**
**Sponge bond (海绵磨盘) :**


Diameter (直径)	8" (φ200mm)/10" (φ220mm)
Segment Size (刀头尺寸)	
Grit (目数)	#2000 #3000 #6000
Type (类型)	M (通用) /S (锋利)

**TW1114**
**BUFF**
**BUFF (抛光盘) :**


Diameter (直径)	8" (φ200mm)/10" (φ220mm)
Segment Size (刀头尺寸)	
Grit (目数)	#0
Type (类型)	White (白抛) & Black (黑抛) & Brown (红抛)

**TW1115**
**Base**
**Base (底盘) :**


Diameter (直径)	8" (φ200mm)/10" (φ220mm)
Material (材质)	Iron (铁盘) /Aluminum (铝盘)
Installation (安装尺寸)	8"/10" (M8×4-φ75+M8×2-φ125)
Adv (优势)	Easy to install above block without changing Base

**Normal Type (金刚磨盘) TW112**
**TW1121 Metal (金刚磨盘) :**


Diameter (直径)	6" (φ180mm)/8" (φ200mm)/10" (φ220mm)
Grit (目数)	#50 #100 #200 #400
Segment Size (刀头尺寸)	40×7×10/30×7×10mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	6" (M8×4-φ75) 8"/10" (M8×4-φ75+M8×2-φ125)

**TW1122 Resin (树脂磨盘) :**



Diameter (直径)	6" (φ150mm)/8" (φ200mm)/10" (φ250mm)
Grit (目数)	#500 #800 #1500 #3000
Segment Size (刀头尺寸)	40×20×15mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	6" (M8×4-φ75) 8"/10" (M8×4-φ75+M8×2-φ125)

**TW1123 Resin (树脂磨盘) :**


Diameter (直径)	6" (φ150mm)/8" (φ200mm)/10" (φ250mm)
Grit (目数)	#500 #800 #1500 #3000
Segment Size (刀头尺寸)	φ200/φ60×10mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	6" (M8×4-φ75) 8"/10" (M8×4-φ75+M8×2-φ125)

**TW1124 Sponge (海绵抛光盘) :**


Diameter (直径)	6" (φ150mm)/8" (φ200mm)/10" (φ250mm)
Grit (目数)	#2000 #3000 #6000
Segment Size (刀头尺寸)	
Type (类型)	M (通用) /S (锋利)
Installation (安装尺寸)	6" (M8×4-φ75) 8"/10" (M8×4-φ75+M8×2-φ125)

**TW1125 BUFF (抛光盘) :**


Diameter (直径)	6" (φ150mm)/8" (φ200mm)/10" (φ250mm)
Grit (目数)	#0
Installation (安装尺寸)	6" (M8×4-φ75) 8"/10" (M8×4-φ75+M8×2-φ125)
Type (类型)	White (白抛) & Black (黑抛) & Brown (红抛)

**Other Type (金刚磨盘) TW113&TW114**
**TW1131 Metal Grinding Wheel (整体磨盘) :**


Diameter (直径)	6" (φ180mm)/8" (φ200mm)/10" (φ220mm)
Grit (目数)	#50 #100 #200 #400
Segment Size (刀头尺寸)	40×7×10/30×7×10mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	6" (M8×4-φ75) 8"/10" (M8×4-φ75+M8×2-φ125)

**TW1141 Metal Bridge Type Grinding Disc (桥型磨盘) :**


Diameter (直径)	8" (φ200mm)/10" (φ220mm)
Grit (目数)	#50 #100 #200 #400
Segment Size (刀头尺寸)	40×7×10/30×7×10mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	6" (M8×4-φ75) 8"/10" (M8×4-φ75+M8×2-φ125)

**TW1142 Metal Base (底盘) :**


Diameter (直径)	8" (φ220mm)/10" (φ250mm)
Material (材质)	Iron (铁盘)
Installation (安装尺寸)	8"/10" (M8×4-φ75+M8×2-φ125)
Adv (优势)	Easy to install above block without changing Base

**Calibrating Segment & Block(定厚刀头和磨块) TW115**
**TW1151A Metal Fixed Thickness Disc Cutter (定厚盘刀头) :**


Grit (目数)	#36 #50 #80
Segment Size (刀头尺寸)	20×20×20mm(M10)/22×22×20mm(M12)
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	M10L30/50,M12L30/50

**TW1151B Metal Fixed Thickness Disc Cutter (定厚盘刀头) :**


Grit (目数)	#36 #50 #80
Segment Size (刀头尺寸)	φ20×20(M10)/φ22×20mm(M12)
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	M10L30/50,M12L30/50

**TW1152A Metal Fixed Thickness Disc Cutter (定厚盘刀头) :**



Grit (目数)	#36 #50 #80
Segment Size (刀头尺寸)	40×10×14
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	M10L30/50,M12L30/50

**TW1152B Metal Fixed Thickness Disc Cutter (定厚盘刀头) :**


Grit (目数)	#36 #50 #80
Segment Size (刀头尺寸)	40×7×10/24×10×10
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	M12L30/50

**Satellite & Calibrating Wheel (校正盘) TW116**
**TW1161 Metal Satellite & Calibrating Wheel (校正盘行星轮) :**


Diameter (直径)	D145/D150
Grit (目数)	#36 #50 #80
Segment Size (刀头尺寸)	22/16×20×16mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	M30/M45

**TW1162 Metal Satellite & Calibrating Wheel (校正盘行星轮) :**


Diameter (直径)	D145/D150
Grit (目数)	#36 #50 #80
Segment Size (刀头尺寸)	24×11.5×12mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	M30/M45

**TW1163 Metal Satellite & Calibrating Wheel (校正盘行星轮) :**


Diameter (直径)	D145/D150
Grit (目数)	#36 #50 #80
Segment Size (刀头尺寸)	40×12×15mm/24×12×15mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	M30/M45

**Diamond Fickert Abrasive for Processing Granite Slab TW12**
**花岗岩大板用金刚石布拉**
**TW1211 Metal bond (金刚整体布拉) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H15/H20
Grit (目数)	#36 #46 #60 #70 #80 #120 #170 #230 #270 #320 #400
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)

**TW1212 Metal bond (金刚分齿布拉) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H15/H20
Grit (目数)	#36 #46 #60 #70 #80 #120 #170 #230 #270 #320 #400
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)

**TW1213 Metal bond (金刚圆角布拉) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H15/H20
Grit (目数)	#36 #46 #60 #70 #80 #120 #170 #230 #270 #320 #400
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)

**TW1221 Magnesite bond (菱古土布拉) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H35
Grit (目数)	#16 - #280, #320 - #800, #1000 - #1500
Type (类型)	M (通用) /S (锋利)

**TW1222 Magnesite bond (菱古土布拉) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H35
Grit (目数)	#16 - #280, #320 - #800, #1000 - #1500
Type (类型)	M (通用) /S (锋利)

**TW1231 Resin (树脂布拉) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H20
Grit (目数)	#60 #120 #180 #220 #280 #320 #400 #600 #800 #1200 #1500
Type (类型)	M (通用) /S (锋利)

**TW1241 Sponge (海绵布拉) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H12
Grit (目数)	#800 #1500 #3000 #6000
Type (类型)	M (通用) /S (锋利)

**TW1251 LUX (抛光) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H35
Grit (目数)	#0

**TW1252 BUFF (抛光) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H20
Grit (目数)	#0

**Diamond Triangle Abrasive for Processing Granite Slab TW13**
**花岗岩大板三角磨块**
**TW1311 Metal (三角金属磨块) :**


Size (尺寸)	L90H20
Segment Size (刀头尺寸)	40×7×10/30×7×10
Grit (目数)	#50 #100 #200 #400(0# 1# 2# 3#)
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)

**TW1321 Magnesite (三角菱古土磨块) :**


Size (尺寸)	L90H20
Segment Size (刀头尺寸)	40×7×10/30×7×10
Grit (目数)	#16 - #280, #320 - #800, #1000 - #1500
Type (类型)	M (通用) /S (锋利)

**TW1331 Resin (三角树脂磨块) :**


Size (尺寸)	L90H30
Segment Size (刀头尺寸)	40×20×15
Grit (目数)	#500 #800 #1500 #3000
Type (类型)	M (通用) /S (锋利)

**TW1341 Sponge (三角海绵磨块) :**


Size (尺寸)	L90H30
Segment Size (刀头尺寸)	40×20×15
Grit (目数)	#800 #1500 #3000 #6000
Type (类型)	M (通用) /S (锋利)

**TW1351 Buff (三角Buff 磨块) :**


Size (尺寸)	L90H30
Grit (目数)	#0
Type (类型)	M (通用) /S (锋利)

**TW1361 5-Extra (三角5-Extra 磨块) :**


Size (尺寸)	L90H30
Grit (目数)	#0
Type (类型)	M (通用) /S (锋利)

**Diamond Fickert Abrasive for India Market TW14**
**印度市场用金刚布拉**
**TW1411 Metal (金属布拉磨块) :**


Size (尺寸)	L130H7
Grit (目数)	#0 #1 #2 #3
Type (类型)	M (通用) / S (锋利)

**TW1421 Resin (树脂布拉磨块) :**


Size (尺寸)	L130H15
Grit (目数)	#3 #4 #5 #6
Type (类型)	M (通用) / S (锋利)

**TW1422 Resin (树脂布拉磨块) :**


Size (尺寸)	L130H15
Grit (目数)	#3 #4 #5 #6
Type (类型)	M (通用) / S (锋利)

**TW1431 LUX (LUX布拉磨块) :**


Size (尺寸)	L130H30
Grit (目数)	#0
Type (类型)	M (通用) / S (锋利)

**TW1432 BUFF (BUFF布拉磨块) :**


Size (尺寸)	L130H15
Grit (目数)	#0
Type (类型)	M (通用) / S (锋利)


**Bush Hammer (荔枝磨轮) TW15**
**Angle grinder Bush Hammer (角磨机荔枝磨轮) TW151**

NO.	Dia. (直径)	NO.of Rollers	Grain No.	Roller Length	Connector
TW1511	5" 125mm	3pcs	30pcs	23mm	M14 M16 5/8"-11
TW1512	5" 125mm	3pcs	/	23mm	
TW1513	5" 125mm	3pcs	/	23mm	
TW1514	6" 150mm	3pcs/4pcs	30pcs	23mm	

**TW1511**
**TW1512**
**TW1513**
**TW1514**

**Machine Bush Hammer (荔枝磨机磨轮) TW152**

NO.	Dia. (直径)	NO.of Rollers	Grain No.	Roller Length	Connector
TW1521	8" 200mm	4pcs	45/60pcs	39mm	D42/58 D47/63 D55/71
TW1522	10" 250mm	4pcs/5pcs	45/60pcs	39mm	
TW1523	12" 300mm	6pcs	45/60pcs	54mm	
TW1524	12" 300mm	6pcs	/	54mm	
TW1525	12" 300mm	6pcs	45/60pcs	54mm	

**TW1521**
**TW1522**
**TW1523**
**TW1524**
**TW1525**

**Sunken Bush Hammer (荔枝磨轮下沉式) TW153**

NO.	Dia. (直径)	NO.of Rollers	Grain No.	Roller Length	Connector
TW1531	12" 300mm	6pcs	45/60pcs	54mm	
TW1532	14" 350mm	8pcs	/	54mm	
TW1533	16" 400mm	10pcs	45/60pcs	54mm	
TW1534	18" 450mm	12pcs	45/60pcs	54mm	

**TW1531**
**TW1532**
**TW1533**
**TW1534**

**Frankfurt Bush Hammer (马蹄型荔枝磨轮) TW154**

NO.	Dia. (直径)	NO.of Rollers	Grain No.	Roller Length	Connector
TW1541	D50*50T	6pcs	/	50mm	Frankfurt
TW1542	D50*50T	6pcs	60pcs	50mm	Frankfurt

**TW1541**
**TW1542**


**Grinding Brush(研磨刷) TW16**
**Fickert Brush (布拉刷) TW161**
**TW1611 Steel Brush (布拉钢丝刷) :**


Size (尺寸)	L140/L170
Working Length (工作高度)	35mm
Grit (目数)	/
Type (类型)	M (通用) / S (锋利)

**TW1612 Steel Wire Brush (LUX布拉钢绳刷) :**


Size (尺寸)	L140/L170
Working Length (工作高度)	35mm
Grit (目数)	/
Type (类型)	M (通用) / S (锋利)

**TW1613 Mixed Brush (布拉混合刷) :**


Size (尺寸)	L140/L170
Working Length (工作高度)	35mm
Grit (目数)	/
Type (类型)	M (通用) / S (锋利)

**TW1614 Abrasive Brush (布拉研磨刷) :**


Size (尺寸)	L140/L170
Working Length (工作高度)	35mm
Grit (目数)	24# 36# 46# 80# 120# 180# 240# 320# 500# 800# 1500# 3000#
Type (类型)	M (通用) / S (锋利)

**TW1615 Diamond Brush (布拉金刚刷) :**


Size (尺寸)	L140/L170
Working Length (工作高度)	35mm
Grit (目数)	24# 36# 46# 80# 120# 180# 240# 320# 500# 800# 1500# 3000#
Type (类型)	M (通用) / S (锋利)

**Round Brush (圆形刷) TW162**
**TW1621 Steel Brush (圆形钢丝刷) :**


Size (尺寸)	φ110/φ200/φ300
Working Length (工作高度)	35mm
Grit (目数)	/
Adaptor (接头)	M14 5/8-11 M8*4 Fast connector

**TW1622 Steel Wire Brush (圆形钢绳刷) :**


Size (尺寸)	φ110/φ200/φ300
Working Length (工作高度)	35mm
Grit (目数)	/
Adaptor (接头)	M14 5/8-11 M8*4 Fast connector

**TW1623 Mixed Brush (圆形混合刷) :**


Size (尺寸)	φ110/φ200/φ300
Working Length (工作高度)	35mm
Grit (目数)	/
Adaptor (接头)	M14 5/8-11 M8*4 Fast connector

**TW1624 Abrasive Brush (圆形研磨刷) :**


Size (尺寸)	φ110/φ200/φ300
Working Length (工作高度)	35mm
Grit (目数)	24# 36# 46# 80# 120# 180# 240# 320# 500# 800# 1500# 3000#
Adaptor (接头)	M14 5/8-11 M8*4 Fast connector

**TW1625 Diamond Brush (圆形金刚刷) :**


Size (尺寸)	φ110/φ200/φ300
Working Length (工作高度)	35mm
Grit (目数)	24# 36# 46# 80# 120# 180# 240# 320# 500# 800# 1500# 3000#
Adaptor (接头)	M14 5/8-11 M8*4 Fast connector