



泉州天物金刚石工具科技有限公司

QUANZHOU TIANWU DIAMOND TOOLS TECHNOLOGY CO., LTD

2023.05

## Company Introduction

泉州天物金刚石工具科技有限公司成立于2014年，坐落于东部海滨城市福建泉州。本公司坚持质量第一的原则，在不断的研发改进当中，生产出一系列高品质、性价比极佳的金钢石工具。现在，本公司拥有两家分厂，一个研发部门以及完整的生产团队和销售团队，将会全方位24小时为您提供优质的售前、售中以及售后跟踪服务，确保您能够舒心、满意地使用本公司产品。

本公司拥有以下产品系列：花岗石磨抛工具、大理石磨抛工具、混凝土磨抛工具、CNC&NC工具及刀柄、锯切工具、石英石磨具、瓷砖磨具。针对您的需求我们也可提供定制服务，生产出适合您的工具。

我们愿意用我们专业的服务为每一位顾客提供石材、混凝土、人造石、瓷砖及岩板加工一站式解决方案。愿您能从本公司找到您需要的产品，通过我们的服务当中收获价值与快乐！

**"TIANWU TOOLS"** was established in 2014, who is located in the eastern coastal city of Quanzhou, Fujian. The company adhere to the principle of quality first, in the continuous improvement of research and development, we produce a series of high-quality, cost-effective diamond tools. Now, the company has two branches, a research and development department and a complete production team and sales team, will be a full 24 hours to provide you with high quality pre-sale, sale and after-sale tracking service to ensure that you can be comfortable and satisfied Use the company's products.

The company has the following product lines: granite grinding and polishing tools, marble grinding and polishing tools, concrete grinding and polishing tools, CNC tools and NC tool holders, sawing tools, quartz&ceramic grinding tools. For your needs we can also provide customized services to produce the right tool for you.

We are willing to use our professional services for each customer to provide stone, concrete, artificial stone, ceramic&slate processing one-stop solution. I would like you to find the products you need from our brochures, and we will gain value and happiness through our services!

## Catagories

<b>TW1 Grinding &amp; Polishing Tools for Granite</b>	<b>Page3-10</b>
<b>TW2 Grinding &amp; Polishing Tools for Marble</b>	<b>Page11-13</b>
<b>TW3 CNC &amp; NC Tools for Stone</b>	<b>Page14-23</b>
<b>TW4 CNC Tools Holder &amp; Adapter</b>	<b>Page24-29</b>
<b>TW5 Diamond Polishing Pad</b>	<b>Page30-33</b>
<b>TW6 Diamond Segment &amp; Blades</b>	<b>Page34-49</b>
<b>TW7 Floor Grinding &amp; Polishing Tools</b>	<b>Page50-61</b>
<b>TW8 Grinding &amp; Polishing Tools for Artificial Quartz Stone</b>	<b>Page62-65</b>
<b>TW9 Grinding &amp; Polishing Tools for Ceramic&amp; Slate</b>	<b>Page66-67</b>

**Diamond Grinding & Polishing Plate for Granite Slab TW11**
**花岗岩大板用金刚石磨盘**
**Snap Locking Type (卡扣式磨盘) TW111 :**
**TW1111**
**Metal**
**Metal bond (金刚磨盘) :**


Diameter (直径)	8" (φ200mm)/10" (φ220mm)
Segment Size (刀头尺寸)	40×7×10/30×7×10mm
Grit (目数)	#50 #100 #200 #400 #500 #800
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)

**TW1112**
**Resin**
**Resin bond (树脂磨盘) :**


Diameter (直径)	8" (φ200mm)/10" (φ220mm)
Segment Size (刀头尺寸)	
Grit (目数)	#500 #800 #1500 #3000
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)

**TW1113**
**Sponge**
**Sponge bond (海绵磨盘) :**


Diameter (直径)	8" (φ200mm)/10" (φ220mm)
Segment Size (刀头尺寸)	
Grit (目数)	#2000 #3000 #6000
Type (类型)	M (通用) /S (锋利)

**TW1114**
**BUFF**
**BUFF (抛光盘) :**


Diameter (直径)	8" (φ200mm)/10" (φ220mm)
Segment Size (刀头尺寸)	
Grit (目数)	#0
Type (类型)	White (白抛) & Black (黑抛) & Brown (红抛)

**TW1115**
**Base**
**Base (底盘) :**


Diameter (直径)	8" (φ200mm)/10" (φ220mm)
Material (材质)	Iron (铁盘) /Aluminum (铝盘)
Installation (安装尺寸)	8"/10" (M8×4-φ75+M8×2-φ125)
Adv (优势)	Easy to install above block without changing Base

**Normal Type (金刚磨盘) TW112**
**TW1121 Metal (金刚磨盘) :**


Diameter (直径)	6" (φ180mm)/8" (φ200mm)/10" (φ220mm)
Grit (目数)	#50 #100 #200 #400
Segment Size (刀头尺寸)	40×7×10/30×7×10mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	6" (M8×4-φ75) 8"/10" (M8×4-φ75+M8×2-φ125)

**TW1122 Resin (树脂磨盘) :**


Diameter (直径)	6" (φ150mm)/8" (φ200mm)/10" (φ250mm)
Grit (目数)	#500 #800 #1500 #3000
Segment Size (刀头尺寸)	40×20×15mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	6" (M8×4-φ75) 8"/10" (M8×4-φ75+M8×2-φ125)

**TW1123 Resin (树脂磨盘) :**


Diameter (直径)	6" (φ150mm)/8" (φ200mm)/10" (φ250mm)
Grit (目数)	#500 #800 #1500 #3000
Segment Size (刀头尺寸)	φ200/φ60×10mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	6" (M8×4-φ75) 8"/10" (M8×4-φ75+M8×2-φ125)

**TW1124 Sponge (海绵抛光盘) :**


Diameter (直径)	6" (φ150mm)/8" (φ200mm)/10" (φ250mm)
Grit (目数)	#2000 #3000 #6000
Segment Size (刀头尺寸)	
Type (类型)	M (通用) /S (锋利)
Installation (安装尺寸)	6" (M8×4-φ75) 8"/10" (M8×4-φ75+M8×2-φ125)

**TW1125 BUFF (抛光盘) :**


Diameter (直径)	6" (φ150mm)/8" (φ200mm)/10" (φ250mm)
Grit (目数)	#0
Installation (安装尺寸)	6" (M8×4-φ75) 8"/10" (M8×4-φ75+M8×2-φ125)
Type (类型)	White (白抛) & Black (黑抛) & Brown (红抛)

**Other Type (金刚磨盘) TW113&TW114**
**TW1131 Metal Grinding Wheel (整体磨盘) :**


Diameter (直径)	6" (φ180mm)/8" (φ200mm)/10" (φ220mm)
Grit (目数)	#50 #100 #200 #400
Segment Size (刀头尺寸)	40×7×10/30×7×10mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	6" (M8×4-φ75) 8"/10" (M8×4-φ75+M8×2-φ125)

**TW1141 Metal Bridge Type Grinding Disc (桥型磨盘) :**


Diameter (直径)	8" (φ200mm)/10" (φ220mm)
Grit (目数)	#50 #100 #200 #400
Segment Size (刀头尺寸)	40×7×10/30×7×10mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	6" (M8×4-φ75) 8"/10" (M8×4-φ75+M8×2-φ125)

**TW1142 Metal Base (底盘) :**


Diameter (直径)	8" (φ220mm)/10" (φ250mm)
Material (材质)	Iron (铁盘)
Installation (安装尺寸)	8"/10" (M8×4-φ75+M8×2-φ125)
Adv (优势)	Easy to install above block without changing Base

**Calibrating Segment & Block(定厚刀头和磨块) TW115**
**TW1151A Metal Fixed Thickness Disc Cutter (定厚盘刀头) :**


Grit (目数)	#36 #50 #80
Segment Size (刀头尺寸)	20×20×20mm(M10)/22×22×20mm(M12)
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	M10L30/50,M12L30/50

**TW1151B Metal Fixed Thickness Disc Cutter (定厚盘刀头) :**


Grit (目数)	#36 #50 #80
Segment Size (刀头尺寸)	φ20×20(M10)/φ22×20mm(M12)
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	M10L30/50,M12L30/50

**TW1152A Metal Fixed Thickness Disc Cutter (定厚盘刀头) :**


Grit (目数)	#36 #50 #80
Segment Size (刀头尺寸)	40×10×14
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	M10L30/50,M12L30/50

**TW1152B Metal Fixed Thickness Disc Cutter (定厚盘刀头) :**


Grit (目数)	#36 #50 #80
Segment Size (刀头尺寸)	40×7×10/24×10×10
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	M12L30/50

**Satellite & Calibrating Wheel (校正盘) TW116**
**TW1161 Metal Satellite & Calibrating Wheel (校正盘行星轮) :**


Diameter (直径)	D145/D150
Grit (目数)	#36 #50 #80
Segment Size (刀头尺寸)	22/16×20×16mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	M30/M45

**TW1162 Metal Satellite & Calibrating Wheel (校正盘行星轮) :**


Diameter (直径)	D145/D150
Grit (目数)	#36 #50 #80
Segment Size (刀头尺寸)	24×11.5×12mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	M30/M45

**TW1163 Metal Satellite & Calibrating Wheel (校正盘行星轮) :**


Diameter (直径)	D145/D150
Grit (目数)	#36 #50 #80
Segment Size (刀头尺寸)	40×12×15mm/24×12×15mm
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)
Installation (安装尺寸)	M30/M45

**Diamond Fickert Abrasive for Processing Granite Slab TW12**
**花岗岩大板用金刚石布拉**
**TW1211 Metal bond (金刚整体布拉) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H15/H20
Grit (目数)	#36 #46 #60 #70 #80 #120 #170 #230 #270 #320 #400
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)

**TW1212 Metal bond (金刚分齿布拉) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H15/H20
Grit (目数)	#36 #46 #60 #70 #80 #120 #170 #230 #270 #320 #400
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)

**TW1213 Metal bond (金刚圆角布拉) :**



Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H15/H20
Grit (目数)	#36 #46 #60 #70 #80 #120 #170 #230 #270 #320 #400
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)

**TW1221 Magnesite bond (菱古土布拉) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H35
Grit (目数)	#16 - #280, #320 - #800, #1000 - #1500
Type (类型)	M (通用) /S (锋利)

**TW1222 Magnesite bond (菱古土布拉) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H35
Grit (目数)	#16 - #280, #320 - #800, #1000 - #1500
Type (类型)	M (通用) /S (锋利)

**TW1231 Resin (树脂布拉) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H20
Grit (目数)	#60 #120 #180 #220 #280 #320 #400 #600 #800 #1200 #1500
Type (类型)	M (通用) /S (锋利)

**TW1241 Sponge (海绵布拉) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H12
Grit (目数)	#800 #1500 #3000 #6000
Type (类型)	M (通用) /S (锋利)

**TW1251 LUX (抛光) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H35
Grit (目数)	#0

**TW1252 BUFF (抛光) :**


Size (尺寸)	14cm and 17cm
Segment Size (刀头尺寸)	H20
Grit (目数)	#0

**Diamond Triangle Abrasive for Processing Granite Slab TW13**
**花岗岩大板三角磨块**
**TW1311 Metal (三角金属磨块) :**


Size (尺寸)	L90H20
Segment Size (刀头尺寸)	40×7×10/30×7×10
Grit (目数)	#50 #100 #200 #400(0# 1# 2# 3#)
Type (类型)	H (耐磨) /M (通用) /S (锋利) /SS (超利)

**TW1321 Magnesite (三角菱古土磨块) :**


Size (尺寸)	L90H20
Segment Size (刀头尺寸)	/
Grit (目数)	#16 - #280, #320 - #800, #1000 - #1500
Type (类型)	M (通用) /S (锋利)

**TW1331 Resin (三角树脂磨块) :**


Size (尺寸)	L90H30
Segment Size (刀头尺寸)	40×20×15
Grit (目数)	#500 #800 #1500 #3000
Type (类型)	M (通用) /S (锋利)

**TW1341 Sponge (三角海绵磨块) :**


Size (尺寸)	L90H30
Segment Size (刀头尺寸)	40×20×15
Grit (目数)	#800 #1500 #3000 #6000
Type (类型)	M (通用) /S (锋利)

**TW1351 Buff (三角Buff 磨块) :**


Size (尺寸)	L90H30
Grit (目数)	#0
Type (类型)	M (通用) /S (锋利)

**TW1361 5-Extra (三角5-Extra 磨块) :**


Size (尺寸)	L90H30
Grit (目数)	#0
Type (类型)	M (通用) /S (锋利)

**Diamond Fickert Abrasive for India Market TW14**
**印度市场用金刚布拉**
**TW1411 Metal (金属布拉磨块) :**


Size (尺寸)	L130H7
Grit (目数)	#0 #1 #2 #3
Type (类型)	M (通用) / S (锋利)

**TW1421 Resin (树脂布拉磨块) :**


Size (尺寸)	L130H15
Grit (目数)	#3 #4 #5 #6
Type (类型)	M (通用) / S (锋利)

**TW1422 Resin (树脂布拉磨块) :**


Size (尺寸)	L130H15
Grit (目数)	#3 #4 #5 #6
Type (类型)	M (通用) / S (锋利)

**TW1431 LUX (LUX布拉磨块) :**


Size (尺寸)	L130H35
Grit (目数)	#0
Type (类型)	M (通用) / S (锋利)

**TW1432 BUFF (BUFF布拉磨块) :**


Size (尺寸)	L130H20
Grit (目数)	#0
Type (类型)	M (通用) / S (锋利)



**Bush Hammer (荔枝磨轮) TW15**
**Angle grinder Bush Hammer (角磨机荔枝磨轮) TW151**

NO.	Dia. (直径)	NO.of Rollers	Grain No.	Roller Length	Connector
TW1511	5" 125mm	3pcs	30pcs	23mm	M14 M16 5/8"-11
TW1512	5" 125mm	3pcs	/	23mm	
TW1513	5" 125mm	3pcs	/	23mm	
TW1514	6" 150mm	3pcs/4pcs	30pcs	23mm	

**TW1511**
**TW1512**
**TW1513**
**TW1514**

**Machine Bush Hammer (荔枝磨机磨轮) TW152**

NO.	Dia. (直径)	NO.of Rollers	Grain No.	Roller Length	Connector
TW1521	8" 200mm	4pcs	45/60pcs	39mm	D42/58 D47/63 D55/71
TW1522	10" 250mm	4pcs/5pcs	45/60pcs	39mm	
TW1523	12" 300mm	6pcs	45/60pcs	54mm	
TW1524	12" 300mm	6pcs	/	54mm	
TW1525	12" 300mm	6pcs	45/60pcs	54mm	

**TW1521**
**TW1522**
**TW1523**
**TW1524**
**TW1525**

**Sunken Bush Hammer (荔枝磨轮下沉式) TW153**

NO.	Dia. (直径)	NO.of Rollers	Grain No.	Roller Length	Connector
TW1531	12" 300mm	6pcs	45/60pcs	54mm	
TW1532	14" 350mm	8pcs	/	54mm	
TW1533	16" 400mm	10pcs	45/60pcs	54mm	
TW1534	18" 450mm	12pcs	45/60pcs	54mm	

**TW1531**
**TW1532**
**TW1533**
**TW1534**

**Frankfurt Bush Hammer (马蹄型荔枝磨轮) TW154**

NO.	Dia. (直径)	NO.of Rollers	Grain No.	Roller Length	Connector
TW1541	D50*50T	6pcs	/	50mm	Frankfurt
TW1542	D50*50T	6pcs	60pcs	50mm	Frankfurt

**TW1541**
**TW1542**


**Grinding Brush(研磨刷) TW16**
**Fickert Brush (布拉刷) TW161**
**TW1611 Steel Brush (布拉钢丝刷) :**


Size (尺寸)	L140/L170
Working Length (工作高度)	35mm
Grit (目数)	/
Type (类型)	M (通用) /S (锋利)

**TW1612 Steel Wire Brush (LUX布拉钢绳刷) :**


Size (尺寸)	L140/L170
Working Length (工作高度)	35mm
Grit (目数)	/
Type (类型)	M (通用) /S (锋利)

**TW1613 Mixed Brush (布拉混合刷) :**


Size (尺寸)	L140/L170
Working Length (工作高度)	35mm
Grit (目数)	/
Type (类型)	M (通用) /S (锋利)

**TW1614 Abrasive Brush (布拉研磨刷) :**


Size (尺寸)	L140/L170
Working Length (工作高度)	35mm
Grit (目数)	24# 36# 46# 80# 120# 180# 240# 320# 500# 800# 1500# 3000#
Type (类型)	M (通用) /S (锋利)

**TW1615 Diamond Brush (布拉金刚刷) :**


Size (尺寸)	L140/L170
Working Length (工作高度)	35mm
Grit (目数)	24# 36# 46# 80# 120# 180# 240# 320# 500# 800# 1500# 3000#
Type (类型)	M (通用) /S (锋利)

**Round Brush (圆形刷) TW162**
**TW1621 Steel Brush (圆形钢丝刷) :**


Size (尺寸)	φ110/φ200/φ300
Working Length (工作高度)	35mm
Grit (目数)	/
Adaptor (接头)	M14 5/8-11 M8*4 Fast connector

**TW1622 Steel Wire Brush (圆形钢绳刷) :**


Size (尺寸)	φ110/φ200/φ300
Working Length (工作高度)	35mm
Grit (目数)	/
Adaptor (接头)	M14 5/8-11 M8*4 Fast connector

**TW1623 Mixed Brush (圆形混合刷) :**


Size (尺寸)	φ110/φ200/φ300
Working Length (工作高度)	35mm
Grit (目数)	/
Adaptor (接头)	M14 5/8-11 M8*4 Fast connector

**TW1624 Abrasive Brush (圆形研磨刷) :**


Size (尺寸)	φ110/φ200/φ300
Working Length (工作高度)	35mm
Grit (目数)	24# 36# 46# 80# 120# 180# 240# 320# 500# 800# 1500# 3000#
Adaptor (接头)	M14 5/8-11 M8*4 Fast connector

**TW1625 Diamond Brush (圆形金刚刷) :**


Size (尺寸)	φ110/φ200/φ300
Working Length (工作高度)	35mm
Grit (目数)	24# 36# 46# 80# 120# 180# 240# 320# 500# 800# 1500# 3000#
Adaptor (接头)	M14 5/8-11 M8*4 Fast connector

**Diamond Frankfurt Abrasive for Processing Marble Slab TW21**  
**大理石大板金刚石马蹄**
**TW2111 Metal (胶木金刚马蹄) :**


Grit (目数)	#36#46 #60 #120#180#240#320#400#500#800
Segment Size (刀头尺寸)	20×20×10/34×10×10/24×10×10mm
Type (类型)	H (耐磨) /M (通用) /S (锋利)
Segment Type (刀头安装方式)	Glue injection (注胶)
Base	Synthetic resin (树脂)

**TW2121 Metal (铝底金刚马蹄) :**


Grit (目数)	#36#46 #60 #120#180
Segment Size (刀头尺寸)	H6
Type (类型)	H (耐磨) /M (通用) /S (锋利)
Segment Type (刀头安装方式)	M8 screw installation (M8螺丝安装)
Base	Aluminium (铝底)

**TW2122 Metal (铁底金刚马蹄) :**


Grit (目数)	#36#46 #60 #120#180
Segment Size (刀头尺寸)	H6
Type (类型)	H (耐磨) /M (通用) /S (锋利)
Segment Type (刀头安装方式)	M8 screw installation (M8螺丝安装)
Base	Iron (铁底)

**TW2131 Metal (斜齿金刚马蹄) :**


Grit (目数)	#36#46 #60 #120#180
Segment Size (刀头尺寸)	24×10×10mm
Type (类型)	H (耐磨) /M (通用) /S (锋利)
Segment Type (刀头安装方式)	Welding (焊接)
Base	Iron (铁底)

**TW2132 Metal (直齿金刚马蹄) :**


Grit (目数)	#36#46 #60 #120#180
Segment Size (刀头尺寸)	24×10×10mm
Type (类型)	H (耐磨) /M (通用) /S (锋利)
Segment Type (刀头安装方式)	Welding (焊接)
Base	Iron (铁底)

**TW2133 Metal (圆齿金刚马蹄) :**



Grit (目数)	#36#46 #60 #120#180
Segment Size (刀头尺寸)	φ20×10mm
Type (类型)	H (耐磨) /M (通用) /S (锋利)
Segment Type (刀头安装方式)	Welding (焊接)
Base	Iron (铁底)

**TW2134 Metal (S型金刚马蹄) :**


Grit (目数)	#36#46 #60 #120#180
Segment Size (刀头尺寸)	80×8.3/14×10mm
Type (类型)	H (耐磨) /M (通用) /S (锋利)
Segment Type (刀头安装方式)	Welding (焊接)
Base	Iron (铁底)

**Frankfurt Abrasive for Processing Marble Slab TW22**
**大理石大板马蹄磨块**
**TW2211 Magnesite (菱古土金刚马蹄) :**


Grit (目数)	#36 - #320, #400 - #1500
Working Height (工作高度)	H35
Type (类型)	H (耐磨) /M (通用) /S (锋利)

**TW2221 Resin (树脂金刚马蹄) :**


Grit (目数)	#120-#320,#400-#1500 Cleaner
Working Height (工作高度)	H35
Type (类型)	H (耐磨) /M (通用) /S (锋利)

**TW2231 Synthetic (复合金刚马蹄) :**


Grit (目数)	#120-#320,#400-#1500 Cleaner
Working Height (工作高度)	H35
Type (类型)	H (耐磨) /M (通用) /S (锋利)

**TW2232 Synthetic (复合金刚马蹄) :**


Grit (目数)	#120-#320,#400-#1500 Cleaner
Working Height (工作高度)	H35
Type (类型)	H (耐磨) /M (通用) /S (锋利)

**TW2241 Sponge (海绵金刚马蹄) :**


Grit (目数)	#600 #1000 #2000 #3000 #6000 #10000
Working Height (工作高度)	H12
Type (类型)	M (通用) /S (锋利)
Segment Type (刀头安装方式)	Bonding (粘接)
Base (底座)	Plastic (塑料)

**TW2242 Sponge (海绵金刚马蹄) :**


Grit (目数)	#600 #1000 #2000 #3000 #6000 #10000
Working Height (工作高度)	H12
Type (类型)	M (通用) /S (锋利)
Segment Type (刀头安装方式)	Bonding (粘接)
Base (底座)	Magnesite (菱古土)

**TW2251 5-Extra (草酸抛光马蹄) :**



Grit (目数)	0#
Working Height (工作高度)	H35
Segment Type (刀头安装方式)	Bonding (粘接)
Base (底座)	Magnesite (菱古土)

**Frankfurt Brush for Processing Marble Slab TW23**
**大理石大板马蹄刷**
**TW2311 Steel Brush (钢丝马蹄刷) :**


Grit (目数)	Hard/Soft
Working Height (工作高度)	H30 H35
Base Color	Black,Red,Yellow (黑红黄)

**TW2321 Steel Wire Brush (钢绳马蹄刷) :**


Grit (目数)	Hard/Soft
Working Height (工作高度)	H30 H35
Base Color	Black,Red,Yellow (黑红黄)

**TW2331 Mixed Brush (混合马蹄刷) :**


Grit (目数)	Hard/Soft
Working Height (工作高度)	H30 H35
Type (类型)	M (通用) /S (锋利)
Base Color	Black,Red,Yellow (黑红黄)

**TW2341 Abrasive Brush (研磨马蹄刷) :**


Grit (目数)	#24 #36 #46 #60 #80 #120 #180 #240 #320 #500 #800
Working Height (工作高度)	H30 H35
Type (类型)	M (通用) /S (锋利)
Base Color	Black,Red,Yellow (黑红黄)

**TW2351 Diamond Brush (金刚石马蹄刷) :**


Grit (目数)	#24 #36 #46 #60 #80 #120 #180 #240 #320 #500 #800
Working Height (工作高度)	H30 H35
Type (类型)	M (通用) /S (锋利)
Base Color	Black,Red,Yellow (黑红黄)

**Bowl Processing / Cutting TW31**
**Finger Bits TW311**

Items	Type (类型)	Specification (尺寸) RPM(转速)	Connection	RPM(转速)
TW3111	Round	φ23×H40/H45/H50	G1/2	4400-4800
TW3112A	Extreme Twister	φ23×H40/H45/H50	G1/2	5500-6200
TW3112B	Twister	φ23×H40/H45/H50	G1/2	5200-5800
TW3112C	Twister	φ23×H40/H45/H50	5/8"-11	/
TW3112D	Twister	φ23×H40/H45/H50	Shank	/
TW3113A	Straighter	φ23×H40/H45/H50	G1/2	3400-4000
TW3113B	Straighter	φ23×H40/H60	G1/2	/
TW3114	Twister	φ23×H40	G1/2	5200-5800
TW3115	Electroplate	φ16/20/25×H30/40/50/80/100	G1/2	5500-6200
TW3116	Brazing	φ16/20/25×H30/40/50/80/100	G1/2	5500-6200
TW3117A	Twister	φ23×H15×L50/L85/L105	G1/2, M14, 5/8"-11	/
TW3117B	Twister	φ23×H15/H40×L85/L105/L125	G1/2, M14, 5/8"-11	/
<b>Feature</b>	Faster Speed & Lasting Longer; Clean Finish; Less Noise & Low Ampere			
<b>Application</b>	Granite, Marble, Sandstone, Limestone, Engineered Stone			

**TW3111**

**TW3112A**

**TW3112B**

**TW3112C**

**TW3112D**

**TW3113A**

**TW3113B**

**TW3114**

**TW3115**

**TW3116**

**TW3117A**

**TW3117B**

**φ23×H40×L125**

**φ23×H15×L85**

**Easy Bit TW312**

Items	Type (类型)	Specification (尺寸)	Arbor	RPM(转速)
TW3121	Standard Type	φ20mm*T3.0mm 10L, 15L, 20L NC Machine	M10, M12	8000-10000
TW3122	TurboType	φ20mm*T3.0mm 10L, 15L, 20L CNC or NC Machine Side grooves for discharging sludge out in easy .	M10, M12	8000-10000
TW3123	Standard Type	φ10mm*L15mm φ20mm*T3.0mm 10L, 15L, 20L NC Machine		
<b>Feature</b>	Faster Speed & Lasting Longer; Clean Finish; Less Noise & Low Ampere			
	1/2 Gas or Shaft			
<b>Application</b>	Granite, Marble, Sandstone, Limestone, Engineered Stone			

**TW3121**

**TW3122**

**TW3123**

**Fluting TW313**



Items	Type (类型)	Specification (尺寸)	Arbor	RPM(转速)
TW3131	Groover	φ15mm,#60 #120 #230	1/2 Gas	
TW3132	Head Mill	φ85mm*H60mm Grit: Coarse For stone sink or shower pan Cutting depth: 0.6-0.8mm	1/2 Gas	4500-5500
<b>Feature</b>	Faster Speed & Lasting Longer; Clean Finish; Less Noise & Low Ampere			
	1/2 Gas or Shaft			
<b>Application</b>	Granite, Marble, Sandstone, Limestone, Engineered Stone			

**TW3131**

**TW3132**

**CNC/NC Cutting TW314**

Items	Type (类型)	Specification (尺寸)	Bore	Mark
TW3141	Z	4"(φ105mm)/5"(φ125mm)/7"(φ	φ22.23mm	
TW3142	B	4"(φ105mm)/5"(φ125mm)/7"(φ	φ22.23mm	
TW3143	V	4"(φ105mm)/5"(φ125mm)/7"(φ	φ22.23mm	

**TW3141**

**TW3142**

**TW3143**


**CNC/NC Drilling TW32**
**Solid Drilling Bit TW321**

Items	Dia (直径)	Working Height (工作高度)	Connection	Teeth Thickness(齿厚)
TW3211	φ6mm-φ12mm	50mm	G1/2	/
TW3212			M8	
TW3213			M12,M14	
TW3214			5/8"-11	
TW3215			φ10mm shank	

**TW3211**


G1/2

**TW3212**


M8

**TW3213**


M12/M14

**TW3214**


5/8"-11

**TW3215**


φ10

**Thin Wall Type TW322**

Items	Dia (直径)	Working Height (工作高度)	Connection	Teeth Thickness(齿厚)
TW3221	φ14-φ100	50mm/100mm	G1/2	1mm/1.5mm/2mm
TW3222			M12	
TW3223			M14	
TW3224			5/8"-11	

**TW3221**


G1/2

**TW3222**


M12

**TW3223**


M14

**TW3224**


5/8"-11

**Hollow Drill Bit TW323**

Items	Dia (直径)	Working Height (工作高度)	Connection	Teeth Thickness(齿厚)
TW3231	φ14-φ35	50mm/100mm	G1/2	2mm/3mm
TW3232			M14	
TW3233			5/8"-11	

**TW3231**


G1/2

**TW3232**


M14

**TW3233**


5/8"-11

**Segmentd Drill Bit TW324**

Items	Dia (直径)	Working Height (工作高度)	Connection	Teeth Thickness(齿厚)
TW3241	φ14-φ100	50mm/100mm	G1/2	3.5mm
TW3242			φ12	
TW3243			5/8"-11	
TW3244			M14	

**TW3241**


G1/2

**TW3242**


φ12

**TW3243**


5/8"-11

**TW3244**


M14

 Email: [tianwutools@tianwutools.com](mailto:tianwutools@tianwutools.com)




**Edge Processing / Profiling Wheels TW33**  
**Profiling Wheels D35/D22 TW331**

Position	Function	RPM	Offset	Marble	Granite/Quartz/Ceramic
				Bond&F/S(mm/Min)	Bond&F/S(mm/Min)
POS.0	Stock Removing	4700~5000 r/m	1.0mm	Elec.&Braze-800	Segmented-600
POS.1/2/3	Shaping		0.6/0.1/0.1mm	Elec.&Braze-800	Continuous-800
POS.4/5/6/7	Polishing	1500 r/m	0.1mm	Resin-1000	Resin-1000

**Custom shapes are also available**

**F shape**

**A shape**


**L shape**


**Basin Finger Bits Processing G1/2 TW332**


Position	Function	RPM	Offset	Granite	Marble
				Bond&F/S(mm/Min)	Bond&F/S(mm/Min)
POS.0	Stock Removing	4700~5000 r/m		Segmented-600	Elec.&Brazing-800
POS.1	Shaping		1.0mm	Continous-800	Elec.&Brazing-800
POS.2	Honing		0.6mm	Continous-800	Elec.&Brazing-1200
POS.3	Finishing		0.1mm	Continous-800	Elec.&Brazing-1200
POS.4	Polishing	1500 r/m	0.1mm	Resin-1000	Resin-1000
POS.5	Polishing		0.1mm	Resin-1000	Resin-1000
POS.6	Polishing		0.1mm	Resin-1000	Resin-1000
POS.7	Polishing		0.1mm	Resin-1000	Resin-1000

**Custom shapes are also available**

**X shape**

**Z shape**

**Portable Router Bits M14 TW333**

Position	Function	RPM	Offset	Granite	Marble
				Bond&F/S(mm/Min)	Bond&F/S(mm/Min)
POS.0	Stock Removing	4700~5000 r/m		Segmented-600	Elec.&Brazing-800
POS.1	Shaping		1.0mm	Continous-800	Elec.&Brazing-800
POS.2	Honing		0.6mm	Continous-800	Elec.&Brazing-1200
POS.3	Polishing	1500 r/m	0.1mm	Resin-1000	Resin-1000
POS.4	Polishing		0.1mm	Resin-1000	Resin-1000
POS.5	Polishing		0.1mm	Resin-1000	Resin-1000



**Bowl Processing / Calibrating & Polishing Wheels TW34**
**Milling , Polishing Drums TW341**

Items	Dia/H (直径/高)	Grit (目数)	Bond (胎体)	Arbor (接头)	Mark (备注)
TW3411	D50H40	Pos.0	Twister Seg.	35mm	
	D70H40	Pos.0	Twister Seg.	35mm	
TW3412	D50H40	Pos.0	Straight Seg.	35mm	
	D70H40	Pos.0	Straight Seg.	35mm	
TW3413	D50H40	Pos.1-Pos.3	Continous Seg.	35mm	
TW3414	D50H40	Pos.1-Pos.3	Continous Seg.	G1/2	
TW3415	D50H40	#50 #100 #200 #400 #800 #1500 #3000	Polishing Pad	5/8"-11 thread	
	D70H40				
TW3416	D50H40	#50 #100 #200 #400 #800 #1500 #3000	Polishing Pad	M14	
	D70H40			M16	

**TW3411**

**TW3412**

**TW3413**

**TW3414**

**TW3415**

**TW3416**

**Calibrating Wheels TW342**

Items	Dia (直径)	Height (高)	Segment Type	Arbor(接头)	Mark (备注)
TW3421	D87	H20/H30	Continuous	Fφ50-3+3Fφ6.5/φ63	
TW3422	D50	H20/H30/H40	Segmented	Fφ20-4+4Fφ6/φ45	
	D87			Fφ50-3+3Fφ6.5/φ63	
	D100 D140				
TW3423	D140 D300	H20/H30/H40	Segmented	φ50	
TW3424	D350 D400	H15/H20/H25/ H30/H40	Segmented	φ50 φ60	A:Silence B:Slience Hole C:Regular

**TW3421**

**TW3422**


**TW3423**

**TW3424A**


**TW3424B**

**TW3424C**



**Engraving Tools TW35**
**TW3511 Flat Head Cylinder 平头圆柱雕刻刀**

TW3511	Spec (直径×工作高度-总长-柄径)	Finish (工艺)		Application (用途)
	D3×H10-L90-S6	S	Sintered	Granite/Quartz
	D4×H20-L70-S6			
	D6×H20-L90-S6			
	D6×H30-L90-S8	B	Brazed	Marble
	D8×H20-L90-S8			
	D8×H30-L90-S8	E	Electro-plate	Marble
	D10×H20-L90-S10			
	D10×H30-L90-S10	A	Alloy	Granite/Jade
	D12×H20-L120-S12			
	D12×H30-L120-S12			


**TW3512 Ball Head 球头雕刻刀**

TW3512	Spec (直径×工作高度-总长-柄径)	Finish (工艺)		Application (用途)
	D6×H20-L90-S6	S	Sintered	Granite/Quartz
	D6×H30-L90-S8			
	D8×H20-L90-S8	B	Brazed	Marble
	D8×H30-L90-S8			
	D10×H20-L90-S10	E	Electro-plate	Marble
	D10×H30-L90-S10			
	D12×H20-L120-S12	A	Alloy	Granite/Jade
	D12×H30-L120-S12			

**TW3513 Taper Engraving Tools 锥度铣刀**

TW3513	Spec (尖/直径×高度-总长-柄径)	Finish (工艺)		Application (用途)
	(1-4)/D6×(6-20)-L60-S6	S	Sintered	Granite/Quartz
	(3-6)/D8×(20-30)-(L60-L90)-S8			
	(3-6)/D10×(30-50)-(L90-L120)-S10	E	Electro-plate	Marble
	(4-8)/D12×(60-100)-(L120-L150)-S12			
	(6-8)/D16×(100-180)-(L180-L230)-S16	A	Alloy	Granite/Jade


**TW3514 Mushroom-shaped Engraving Tools 蘑菇头铣刀**

TW3514	Spec (尖/直径×角度-总长-柄径)	Finish (工艺)		Application (用途)
	1.2/D6×60°-L70-S6	S	Sintered	Granite/Quartz
	1.2/D6×90°-L70-S6			
	1.5/D8×90°-L80-S8	E	Electro-plate	Marble
	1.5/D8×120°-L80-S8			
	A	Alloy	Granite/Jade	


**TW3515 Carbide Engraving Tools 合金铣刀**

TW3515	Spec (尖/直径×角度-总长)	Application (用途)
	0.1/D3.175×(15°-90°)-(L33-L38)	Advertising Letting
	0.1/D4×(30°-90°)-L40	Door Plate
	0.1/D6×(30°-90°)-L50	Furniture Carving
		Sculptural Art
		Granite Carving


**TW3516 PCD Engraving Tools PCD铣刀**

TW3516	Spec (直径×尖端×R角度)	Application (用途)
	(0.2-1.5)/D6×(22.5°-150°)	Advertising Letting
	(0.2-1.5)/D8×(22.5°-150°)	Door Plate
	(0.2-1.5)/D9×(22.5°-150°)	Furniture Carving
	(0.2-1.5)/D10×(22.5°-150°)	Sculptural Art
	(0.2-1.5)/D12×(22.5°-150°)	Granite Carving
	(0.2-1.5)/D40×(22.5°-150°)	
	(0.2-1.5)/D60×(22.5°-150°)	

**TW352 Round Blade Type Engraving Tools 锯片型雕刻刀**


TW3521	Diameter(直径)	Adapter(接头)	Finish (工艺)		Application (用途)
	D20	φ6×40	S	Sintered	Granite/Quartz
	D25				
	D30	φ8×40	B	Brazed	Marble
	D35	M10×40	E	Electro-plate	Marble
	D40				
	D50	M14×40	A	Alloy	Granite/Jade

**TW353 Segmented Type Jig Saw Blade 曲线雕刻刀**

TW35231	Spec. (规格)	Seg(刀头)	Teeth(齿数)	Application (用途)
	G20	15×2×5	1	Granite/Quartz
		10×2×5	2	
	G30	15×2×5	1	
		10×2×5	2	
	G40	15×2×5	1	
		12×2×5	2	


**Auto Edge Tooling - For In-line Machines TW36**
**Straight Edge Wheels TW361 & TW362 & TW363**



Items	Dia/H (直径/高)	Grit (目数)	Arbor(接头)	Mark (备注)		
TW3611	4"(φ100mm) 5"(φ125mm) 6"(φ150mm)	#50#100#200#400	Snail Lock	Metal		
TW3612						
TW3613						
TW3621		#50#100#200#400#800#1500#3000	Snail Lock Velcro	Resin		
TW3622						
TW3623						
TW3624						
TW3625						
TW3626						
TW3627						
TW3628						
TW3629					#50#100#200#400#800#1500#3000	Magnesite
TW3631					#0	Buff
TW3632		#0	Buff			
TW3641	#0	Snail Lock	5-Extra			



**Cup Grinding Wheels TW37**
**Turbo Grinding Wheels TW371**

Items	Dia/H (直径/高)	Grit (目数)	Arbor(接头)	Seg. (刀头)	Base (基体)	
TW3711	4"( $\phi$ 100mm) 5"( $\phi$ 125mm) 6"( $\phi$ 150mm)	#30 #100 #200	#50	$\phi$ 22.23 5/8"-11 M14 M16	Twister	Aluminium
TW3712					Oblique	Aluminium
TW3713					Oblique	Iron
TW3714					Twister	Iron
TW3715					Oblique	Iron
TW3716					Straight	Iron
TW3721	4"( $\phi$ 100mm) 5"( $\phi$ 125mm) 7"( $\phi$ 175mm)	#30 #100 #200	#50	X- Cup	Iron	
TW3722				Single Cup	Iron	
TW3723				Double Cup Wheels	Iron	
TW3724	4"( $\phi$ 100mm) 5"( $\phi$ 130mm)	#40 #200	#100	M14	Continuous	Iron



**TOOLS HOLDER for Stone Machine TW41**

**Intermac and Bimatech Type TW411**

Items	Machine Type	Description
TW4111	Intermac and Bimatech	ISO 30 G1/2
TW4112	Intermac and Bimatech	ISO 30 D35L34
TW4113	Intermac and Bimatech	ISO 30 D35L47
TW4114	Intermac and Bimatech	ISO 40 G1/2
TW4115	Intermac and Bimatech	ISO 40 D35L39
TW4116	Intermac and Bimatech	ISO 40 D35L47
TW4117	Intermac and Bimatech	ISO 40 ER 20/25/32/40
TW4119	Intermac and Bimatech	ISO 40 Flange D50L5

Other types can be customized.


**TW4111**

**TW4112**

**TW4113**

**TW4114**

**TW4115**

**TW4116**

**TW4117**

**TW4119**



**VEM & Thibaut & Hellios & Park Industries Type TW412**

Items	Type	Description
TW4121	Bavelloni, Pedrini	BT 30 G1/2
TW4122	Bavelloni, Pedrini	BT 30 ER 20/25/32/40
TW4123	VEM, Thibaut, Hellios, Park Industries/Agut	BT 40 G1/2
TW4124	VEM, Thibaut, Hellios, Park Industries	BT 40 G1/2 D40H15
TW4125	VEM, Thibaut, Hellios, Park Industries	BT 40 D35L39
TW4126	Bavelloni, Pedrini	BT 40 ER 20/25/32/40
TW4127	Bavelloni, Pedrini	BT 40 5/8"-11
TW4128	Bavelloni, Pedrini	BT 40 D35L34/39/47

Other types can be customized.


**TW4121**

**TW4122**

**TW4123**

**TW4124**

**TW4125**

**TW4126**

**TW4127**

**TW4128**
**Breton Type TW413**

Items	Type	Description
TW4131	Breton	ISO 40 G1/2
TW4132	Breton	ISO 40 D35L39
TW4133	Breton	ISO 40 D35L47
TW4134	Breton	ISO 40 D35L80
TW4135	Breton	ISO 40 G1/2 D40H50
TW4136	Breton	ISO 50 1"/G1/2 D40H400

Other types can be customized.


**TW4131**

**TW4132**

**TW4133**

**TW4134**

**TW4135**

**TW4136**

**Brembana Type TW414**

Items	Type	Description
TW4141	Brembana/2T	ISO 30 G1/2 D50L30
TW4142	Brembana/2T	ISO 40 G1/2 D50L50
TW4143	Brembana/2T	ISO 40 D35L39
TW4144	Brembana/2T New Type	ISO 30 ER25/32/40
TW4145	Brembana/2T New Type	ISO 40 ER25/32/40
TW4146	Brembana/2T	ISO 40 Flange
TW4147	Brembana/2T	ISO 40 M24

Other types can be customized.


**TW4141**

**TW4142**

**TW4143**

**TW4144**

**TW4145**

**TW4146**

**TW4147**
**DIN 69871/A Type TW415**

Items	Type	Description
TW4151	DIN 69871/A	ISO 40 G1/2
TW4152	DIN 69871/A	ISO 40 ER40
TW4153	DIN 69871/A	ISO 40 D35L47H80

Other types can be customized.


**TW4151**

**TW4152**

**TW4153**

**Other Type TW416**

Items	Type	Description
TW4161		ISO 40 G1/2 D50H20
TW4162		ISO 40 D22L47

Other types can be customized.


**TW4161**

**TW4162**
**Hat Type Plastic holder TW410**
**TW4101**

**BT30**
**TW4102**

**BT40**
**TW4103**

**ISO30**
**TW4104**

**ISO40**

**Metal Adapter TW42**

Items	Products	Description
TW4211	Adapter	From G1/2 to M14,M16,M24,5/8"-11
TW4212	ER Collet Chuck Adapter	From G1/2 to ER20,25,32,40
TW4213	Flange for Profiling wheels D87/D50	G1/2 , 5/8"-11 Thread
TW4214	Adapter for Dilling Bit	G1/2 to φ10/M12 Female
TW4215	Adapter for Profiling Wheels	G1/2 to Dia.22, Dia35 L=34,39,47,80mm
TW4216	Spring Collet ER	ER16,ER20,ER25,ER32,ER40



TW4217 Pull Stud for Tools Hold			
Photo	Type	L×L1×L2×D1×D2×D3×Arbor(D)	Technical Drawing
	A-D30	44×24×19×φ13×φ13×φ17×M12	
	A-D40	54×26×20×φ17×φ19×φ23×M16	
	A-D50	74×34×25×φ25×φ28×φ36×M24	
	B-D30	44×24×19×φ13×φ13×φ17×M12	
	B-D40	54×26×20×φ17×φ19×φ23×M16	
	B-D50	74×34×25×φ25×φ28×φ36×M24	
	B-D30	43×23×18×φ16.5×φ12.5×M12×13	
	B-D40	60×35×28×φ23×φ17×M16×19	
	B-D50	85×45×35×φ25×φ23×M24×30	

**Adapter for Polishing Pads TW43**

Items	Products	Description
TW4311	Rubber Adapter for Soft Pads	Size: 3"4"5" M14,M16,5/8"-11
TW4312	Rubber Adapter for Hard Pads	Size: 3"4"5" M14,M16,5/8"-11
TW4313	Plastic Sponge Adapter	Size: 3"4"5" M14,M16,5/8"-11
TW4314	Plastic Adapter for Hard Pads	Size: 3"4"5" M14,M16,5/8"-11
TW4321	Aluminium Adapter for Pads	Size: 4"5" M14,M16,5/8"-11
TW4322	Snail Lock holder Adapter	Size: 4"5" M14,M16,5/8"-11/Snail Lock
TW4323	Plastic Snail Lock Adapter	Size: 4"5" Snail Lock to Velcro
TW4324	Plastic Snail Lock Adapter	Size: 4"5" Snail Lock to Plane
TW4325	Plastic Snail Adapter	Size: 4"5" Snail Lock to Plane
TW4326	Plastic Frankfurt Adapter	Size: 4"5" Frankfurt to Velcro

**TW4311**

**TW4312**


**TW4313**


**TW4314**

**TW4321**








**TW4322**

**TW4323**

**TW4324**

**TW4325**

**TW4326**


**Diamond Flexible Polishing Pad TW51**

<b>TW5111</b>	Item Name	Red Pad
	Diameter	3" 4" 5" 6"
	Grit	#50 #100 #200 #400 #800 #1500 #3000
	Application	Wet Polishing, Granite, Marble, Quartz, Terrazzo
	Features	Colorful Pads
<b>TW5112</b>	Item Name	Colored Pad
	Diameter	4" 5" 6"
	Grit	#50 #100 #200 #400 #800 #1500 #3000
	Application	Wet Polishing, Granite, Marble, Quartz, Terrazzo, Concrete
	Features	Colorful Pads
<b>TW5113</b>	Item Name	Green spiral Pad
	Diameter	4" 5" 6"
	Grit	#50 #100 #200 #400 #800 #1500 #3000
	Application	Wet Polishing, Granite, Marble, Quartz, Terrazzo, Concrete
	Features	Spiral groove in front face to increase the sharpness
<b>TW5121</b>	Item Name	White Pad
	Diameter	4" 5" 6"
	Grit	#50 #100 #200 #400 #800 #1500 #3000
	Application	Wet or Dry Polishing, Granite, Marble, Quartz, Terrazzo, Concrete
	Features	General use pad. Can fit all kind of stones and situation
<b>TW5122</b>	Item Name	Black Pad
	Diameter	4" 5" 6"
	Grit	#50 #100 #200 #400 #800 #1500 #3000
	Application	Wet or Dry Polishing, Granite, Marble, Quartz, Terrazzo, Concrete
<b>TW5131</b>	Item Name	Super Thin Pad
	Diameter	4" 5" 6"
	Grit	#50 #100 #200 #400 #800 #1500 #3000
	Application	Wet or Dry Polishing, Granite, Marble, Quartz, Terrazzo, Concrete
	Features	Super thin pad with hexagonal face
<b>TW5132</b>	Item Name	Dry White Pad
	Diameter	3" 4" 5" 6"
	Grit	#50 #100 #200 #400 #800 #1500 #3000
	Application	Dry Polishing, Granite, Marble, Quartz, Terrazzo, Concrete

**Diamond Flexible Polishing Pad TW51**

<b>TW5133</b>	Item Name	Dry Polishing Pad
	Diameter	3" 4" 5" 6"
	Grit	#50 #100 #200 #400 #800 #1500 #3000
	Application	Dry Polishing, Granite, Marble, Quartz, Terrazzo, Concrete
<b>TW5141</b>	Item Name	3-Step Polishing Pad
	Diameter	4"
	Step	1-2-3
	Application	Wet Polishing, Granite, Marble, Quartz, Terrazzo, Concrete
	Features	Flexible and soft pad, fit the processing of counter top
<b>TW5142</b>	Item Name	3-Step Polishing Pad
	Diameter	4" 5" 6"
	Step	1-2-3
	Application	Wet Polishing, Granite, Marble, Quartz, Terrazzo, Concrete
	Features	Different formula, increase the lifespan visibly
<b>TW5151</b>	Item Name	Buff Pad
	Diameter	4" 5" 6"
	Grit	#0
	Application	Granite, Marble, Quartz, Terrazzo, Concrete
<b>TW5152</b>	Item Name	White Buff Pad
	Diameter	4" 5" 6"
	Grit	#0
	Application	Granite, Marble, Quartz, Terrazzo, Concrete
<b>TW5153</b>	Item Name	Black Buff Pad
	Diameter	4" 5" 6"
	Grit	#0
	Application	Granite, Marble, Quartz, Terrazzo, Concrete


**Diamond Hard Polishing Pad TW52**
**< 3" Hard Polishing Pad TW521**

Diameter	φ50mm, φ60mm, φ65mm, φ75mm	Application
Grit	#50 #100 #200 #400 #800 #1500 #3000	Granite, Marble, Quartz, Terrazzo, Concrete
Connect	Velcro Backing	

**TW5211**

**TW5212**

**TW5213**

**TW5214**

**3" Hard Polishing Pad TW522**

Diameter	3"(φ80mm)	Application
Grit	#50 #100 #200 #400 #800 #1500 #3000	Granite, Marble, Quartz, Terrazzo, Concrete
Connect	Velcro Backing	

**TW5221**

**TW5222**

**TW5223**

**TW5224**

**TW5225**

**4" & 5" Hard Polishing Pad TW523/TW524**

Diameter	4"(φ100mm), 5"(φ125mm)	Application
Grit	#50 #100 #200 #400 #800 #1500 #3000	Granite, Marble, Quartz, Terrazzo, Concrete
Connect	Velcro Backing	

**TW5231**

**TW5232**

**TW5233**

**TW5234**

**TW5235**

**TW5236**

**TW5237**

**TW5238**


**TW5239**

**TW5240**

**TW5241**

**TW5242**


**TW5243**


**TW5244**

**TW5245**




**> 6 " Hard Polishing Pad TW525**

Diameter	6"(φ150mm),7"(φ175mm),8"(φ200mm), 9"(φ220mm),10"(φ250mm),16"(φ400mm)	Application
Grit	#50 #100 #200 #400 #800 #1500 #3000	Granite,Marble,Quartz,Terrazzo,Concrete
Connect	Velcro Backing	

**TW5251**

**TW5252**

**TW5253**

**TW5254**

**TW5255**

**Other Hard Polishing Pad TW526**

Type	Frankfurt/Cassani	Application
Grit	#50 #100 #200 #400 #800 #1500 #3000	Granite,Marble,Quartz,Terrazzo,Concrete
Connect	Velcro Backing	

**TW5261**

**TW5262**

**TW5263**

**TW5264**

**TW5265**

**Diamond Sponge Polishing Pad TW53**
**Circular Pads for Floor Polishing & Cleaning TW531**

Diameter	4"(φ100mm),5"(φ125mm),6"(φ150mm),8"(φ 200mm),17"(φ425mm),20"(φ500mm)	Application
Grit	#150 #180 #240 #320 #400 #600 #800 #1000 #2000 #3000 #6000 #10000	Granite,Marble,Quartz,Terrazzo,Concrete
Connect	Velcro Backing	

**TW5311**

**TW5312**

**TW5313**

**TW5314**


**Diamond Blades and Segments for Block Cutting TW61**
**Granite Block Cutting TW611**
**TW6111 Single Blades and Segments for Granite**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: **Good sharpness & Long Lifespan & Expensive**
3. Bore of Blade: 100/120/150mm
4. Market: USA, South America, Europe, south africa.


**●Parameters**

Diameter mm	Segments Size mm	Blade Thickness	Segment Number	Note
φ900	24×7.0/6.2×13(15,20)	5	64	Expensive with High-quality
φ1000	24×7.0/6.2×13(15,20)	5	70	
φ1200	24×7.4/6.6×13(15,20)	5.5	80	
φ1400	24×8.0/7.2×13(15,20)	6	92	
φ1600	24×9.2/8.4×13(15,20)	7.2	108	
φ1800	24×10/9.2×13(15,20)	7.5	120	
φ2000	24×11/10×15(20)	8	128	
φ2200	24×11/10×15(20)	9	132	
φ2500	24×12/11×20(30)	9	140	
φ3000	24×13/12×20(30)	9.3	160	
φ3500	24×13.5/12.5×20(30)	9.5	180	

Other specifications are available upon request.

**TW6112 Multi Blades and Segments for Granite**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Super sharpness or Long Lifespan
3. Bore of Blade: 100/120/150mm
4. Market: Iran, China, Others



**●Parameters**

Diameter mm	Segments Size mm	Blade Thickness	Segment Number	Note
φ1000	24×7.0/6.2×13(15,20)	5	70	Super sharpness or Long lifespan Can be customized
φ1200	24×7.4/6.6×13(15,20)	5.5	80	
φ1400	24×8.0/7.2×13(15,20)	6.5	92	
φ1600	24×9.2/8.4×13(15,20)	7.2	108	

Other specifications are available upon request.

**TW6113 Multi Blades and Segments for Granite**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Good sharpness & Long Lifespan & Cost-effective
3. Bore of Blade: 100mm
4. Market:  
 India, Thailand, Vietnam,  
 Turkey, South africa  
 Egypt, Pakistan


**●Parameters**

Combination Set number	Diameter mm	Segments Size mm	Blade Thickness	Segment Number
Φ2184 9pcs/set	2184	24×5.5/5.0×13(15,20) 24×6.0/5.5×13(15,20) 24×7.4/6.6×13(15,20)	4.0/4.5/5.5	132
	1984		4.0/4.5/5.5	126
	1784		4.0/4.5/5.5	110
	1584		4.0/4.5/5.5	96
	1370		4.0/4.5/5.5	96
	1160		4.0/4.5/5.5	92
	950		4.0/4.5/5.5	88
	740		4.0/4.5/5.5	84
	530		4.0/4.5/5.5	66/64/58
Φ1650 6pcs/set	1650	24×6.0/5.5×13(15,20) 24×7.4/6.6×13(15,20)	4.5/5.5	108
	1420		4.5/5.5	96
	1190		4.5/5.5	92
	960		4.5/5.5	88
	730		4.5/5.5	80
	500		4.5/5.5	62
Φ2184 5pcs/set	2184	24×7.4/6.6×13(15,20) 24×9.2/8.4×13(15,20)	5.5/7.2	132
	1784		5.5/7.2	120
	1400		5.5/7.2	96
	1040		5.5/7.2	90
	680		5.5/7.2	80
Φ1984 4pcs/set	1984	24×9.2/8.4×13(15,20) 24×8.4/7.6×13(15,20) 24×7.4/6.6×13(15,20)	7.2/6.5/5.5	126
	1584		7.2/6.5/5.5	108
	1136		7.2/6.5/5.5	92
	680		7.2/6.5/5.5	80
Φ1650 4pcs/set	1650	24×7.4/6.6×13(15,20)	5.5	108
	1300		5.5	96
	950		5.5	88
	600		5.5	72
Φ1584 4pcs/set	1584	24×7.4/6.6×13(15,20) 24×6.0/5.5×13(15,20)	5.5/4.5	96
	1255		5.5/4.5	90
	928		5.5/4.5	84
	600		5.5/4.5	72

**Parameters**

Combination	Diameter	Segments Size	Blade	Segment
Set number	mm	mm	Thickness	Number
Φ2784 3pcs/set	2784	24×9.2/8.4×13(15,20)	7.2	156
	2184		7.2	132
	1584		7.2	108
Φ2184 3pcs/set	2184	24×9.2/8.4×13(15,20)	7.2/7.5	132
	1584	24×10/9.2×13(15,20)	7.2/7.5	108
	940		7.2/7.5	92
Φ1984 3pcs/set	1984	24×9.2/8.4×13(15,20) 24×8.4/7.6×13(15,20)	7.2/6.5	126
	1400		7.2/6.5	96
	880		7.2/6.5	88
Φ1784 3pcs/set	1784	24×9.2/8.4×13(15,20)	7.2	120
	1255/1240		7.2	90
	780		7.2	80
Φ1650 3pcs/set	1650	24×9.2/8.4×13(15,20)	7.2	108
	1170		7.2	92
	730		7.2	80
Φ1584 3pcs/set	1584	24×9.2/8.4×13(15,20)	7.2/6.5/5.5	108
	1136	24×8.4/7.6×13(15,20)	7.2/6.5/5.5	92
	680	24×7.4/6.6×13(15,20)	7.2/6.5/5.5	80

Other specifications are available upon request.

**TW6114 Multi Blades and Segments for Granite**
**Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Super sharpness or Long Lifespan
3. Bore of Blade: 100mm
4. Market: Iran, China, Others


**Parameters**

Combination	Diameter	Segments Size	Blade	Segment
Set number	mm	mm	Thickness	Number
Φ1650 / 2片组	1630/1650	24×9.2/8.4×13(15,20)	7.2/6.5	108
	990	24×8.4/7.6×13(15,20)	7.2/6.5	92
Φ1650 / 2片组	1600	24×9.2/8.4×13(15,20)	7.2/6.5	108
	960	24×8.4/7.6×13(15,20)	7.2/6.5	92
Φ1584 / 2片组	1584	24×9.2/8.4×13(15,20)	7.2/6.5	108
	940	24×8.4/7.6×13(15,20)	7.2/6.5	92

Other specifications are available upon request.

**Marble Block Cutting TW612**
**TW6121 Single Blades and Segments for Marble**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Super sharpness & Smooth cutting & Low noise
3. Bore of Blade: 100/120/150mm
4. Market: All over the world




**●Parameters**

Diameter mm	Segments Size mm	Blade Thickness	Segment Number	Note
φ900	24×7.5×10(13)	5	64	  Super sharpness rely on High grade diamond
φ1000	24×7.5×10(13)	5	70	
φ1200	24×8.0×10(13)	5.5	80	
φ1400	24×8.5×10(13)	6	92	
φ1600	24×9.5×10(13)	7	108	
φ1800	24×10×10(13)	7.5	120	
φ2000	24×11×10(13)	8	128	
φ2200	24×11×10(13)	8	132	
φ2500	24×12.5×10(13)	9	140	
φ2700	24×12.5×10(13)	9	140	
φ3000	24×13×10(13)	9.3	160	

Other specifications are available upon request.

**TW6122 Gang Saw and Segments for Marble**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Sharper, Smooth cutting, Stone waste reduction.
3. Other Application: Artificial Stone, Travertine
4. Market: All over the world


**●Parameters**

Blade Legth mm	Segments Size mm	Blade Thickness	Segment Number	Note
3950	20×4.6/4.0×8(10)	2.5	25-32	Beige, White, Artificial Stone
4100	20×5.0/4.4×8(10)	3	25-32	
4300	20×5.4/4.8×8(10)	3.5	25-32	
4350	35/25×3.3/2.7×10	2	18-22	Light Emperador, Black, Gold Jade, Full Brown Travertine
4400	35/25×3.8/3.2×10	2.5	18-22	
4450	35/25×4.8/4.2×10	3	18-22	

Other specifications are available upon request.

**Sandstone Block Cutting TW613**
**TW6131 Single Blades and Segments for Sandstone**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Very Long Lifespan
3. Bore of Blade: 100/120/150mm
4. Market: All over the world


**●Parameters**

Diameter mm	Segments Size mm	Blade Thickness	Segment Number	Note
φ900	24×7.5×13(15)	5	64	According to the characteristic of sandstone, designed the formula. In the premise of efficiency, cutting life far more than similar products.
φ1000	24×7.5×13(15)	5	70	
φ1200	24×8.0×13(15)	5.5	80	
φ1400	24×8.5×13(15)	6	92	
φ1600	24×9.5×13(15)	7.2	108	
φ1800	24×10×13(15)	7.5	120	
φ2000	24×11×13(15)	8	128	
φ2200	24×11×13(15)	8	132	
φ2500	24×12.5×13(15)	9	140	
φ2700	24×12.5×13(15)	9	160	

Other specifications are available upon request.

**Limestone Block Cutting TW614**
**TW6141 Single Blades and Segments for Limestone**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Very Long Lifespan
3. Bore of Blade: 100/120/150mm
4. Market: All over the world


**●Parameters**


Diameter mm	Segments Size mm	Blade Thickness	Segment Number	Note
φ900	24×7.5×13(15)	5	64	According to the characteristic of Limestone, designed the formula. In the premise of efficiency, cutting life far more than similar products.
φ1000	24×7.5×13(15)	5	70	
φ1200	24×8.0×13(15)	5.5	80	
φ1400	24×8.5×13(15)	6	92	
φ1600	24×9.5×13(15)	7.2	108	
φ1800	24×10×13(15)	7.5	120	
φ2000	24×11×13(15)	8	128	
φ2200	24×11×13(15)	8	132	
φ2500	24×12.5×13(15)	9	140	
φ2700	24×12.5×13(15)	9	160	

Other specifications are available upon request.

**Diamond Blades and Segments for Edge Cutting TW62**
**Granite Edge Cutting TW621**
**TW6211 FLAT Type Segments and Blades for Granite**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Good sharpness & Long Lifespan & Cost-effective
3. Bore of Blade: 25.4/50/60/80/100mm
4. Silent or Non Silent
5. Market: All over the world


**●Parameters**


Diameter	Segments Size	Blade	Segment	Shape
mm	mm	Thickness	Number	
φ300	40×3.2×10(15,20)	2.2/2.0	21	
φ350	40×3.2×10(15,20)	2.4/2.2	24	
φ400	40×3.6×10(15,20)	2.8/2.4	28	
φ450	40×3.8×10(15,20)	2.8/2.6	32	
φ500	40×4.2×10(15,20)	3.2/2.8	36	
φ550	40×4.2×10(15,20)	3.2/3.0	38	
φ600	40×4.6×10(15,20)	3.6/3.2	42	
φ650	40×5.0×10(15,20)	4.0/3.6	46	
φ700	40×5.0×10(15,20)	4.0/3.8	50	
φ750	40×5.0×10(15,20)	4.0/3.8	54	
φ800	40×5.5×10(15,20)	4.5/4.2	57	

Other specifications are available upon request.

**TW6212 FAN Type Segments and Blades for Granite**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Good sharpness & Long lifespan & Perfect edge
3. Bore of Blade: 25.4/50/60mm
4. Silent or Non Silent
5. Market: All over the world

**●Parameters**


Diameter	Segments Size	Blade	Segment	Note
mm	mm	Thickness	Number	
φ300	43/40×3.2×10(15,20)	2.2/2.0	21	
φ350	43/40×3.2×10(15,20)	2.4/2.2	24	
φ400	43/40×3.6×10(15,20)	2.8/2.4	28	
φ450	43/40×3.8×10(15,20)	2.8/2.6	32	
φ500	43/40×4.2×10(15,20)	3.2/2.8	36	

Other specifications are available upon request.

**TW6213 U Type Segments and Blades for Granite**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Good sharpness and AA Grade
3. Bore of Blade: 25.4/50/60/80/100mm
4. Silent or Non Silent
5. Market: USA, France, Italy, etc.


**●Parameters**

Diameter	Segments Size	Blade	Segment	Shape
mm	mm	Thickness	Number	
φ300	40×3.6/3.3/3.0×12(15)	2.2/2.0	21	
φ350	40×3.6/3.3/3.0×12(15)	2.4/2.2	24	
φ400	40×4.0/3.7/3.4×12(15)	2.8/2.4	28	
φ450	40×4.3/4.0/3.7×12(15)	2.8/2.6	32	
φ500	40×4.3/4.0/3.7×12(15)	3.2/2.8	36	
φ550	40×5.0/4.7/4.4×12(15)	3.2/3.0	38	
φ600	40×5.0/4.7/4.4×12(15)	3.6/3.2	42	
φ650	40×5.0/4.7/4.4×12(15)	4.0/3.6	46	
φ700	40×5.4/5.1/4.8×12(15)	4.0/3.8	50	
φ800	40×6.0/5.7/5.4×12(15)	4.5/4.2	57	

Other specifications are available upon request.

**TW6214 V Type Segments and Blades for Granite**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Good sharpness and AA Grade
3. Bore of Blade: 25.4/50/60/80/100mm
4. Silent or Non Silent
5. Market: USA, France, Italy, etc.


**●Parameters**

Diameter	Segments Size	Blade	Segment	Shape
mm	mm	Thickness	Number	
φ300	40×3.2×10(15,20)	2.2/2.0	21	
φ350	40×3.2×10(15,20)	2.4/2.2	24	
φ400	40×3.6×10(15,20)	2.8/2.4	28	
φ450	40×3.8×10(15,20)	2.8/2.6	32	
φ500	40×4.2×10(15,20)	3.2/2.8	36	
φ550	40×4.2×10(15,20)	3.2/3.0	38	
φ600	40×4.6×10(15,20)	3.6/3.2	42	
φ650	40×5.0×10(15,20)	4.0/3.6	46	
φ700	40×5.0×10(15,20)	4.0/3.8	50	
φ750	40×5.0×10(15,20)	4.0/3.8	54	
φ800	40×5.5×10(15,20)	4.5/4.2	57	

Other specifications are available upon request.


Email: [tianwutools@tianwutools.com](mailto:tianwutools@tianwutools.com)



**TW6215 Three-step (40) Type Segments and Blades for Granite**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Good sharpness and AA Grade
3. Bore of Blade: 25.4/50/60/80/100mm
4. Silent or Non Silent
5. Market: USA, France, Italy, etc.


**●Parameters**


Diameter mm	Segments Size mm	Blade Thickness	Segment Number	Shape
φ300	40×3.6/3.3/3.0×15(20)	2.2/2.0	21	
φ350	40×3.6/3.3/3.0×15(20)	2.4/2.2	24	
φ400	40×4.0/3.7/3.4×15(20)	2.8/2.4	28	
φ450	40×4.3/4.0/3.7×15(20)	2.8/2.6	32	
φ500	40×4.3/4.0/3.7×15(20)	3.2/2.8	36	
φ550	40×5.0/4.7/4.4×15(20)	3.2/3.0	38	
φ600	40×5.0/4.7/4.4×15(20)	3.6/3.2	42	
φ650	40×5.0/4.7/4.4×15(20)	4.0/3.6	46	
φ700	40×5.4/5.1/4.8×15(20)	4.0/3.8	50	
φ800	40×6.0/5.7/5.4×15(20)	4.5/4.2	57	

Other specifications are available upon request.

**TW6216 Three-step (20) Type Segments and Blades for Granite**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Good sharpness and AA Grade
3. Bore of Blade: 25.4/50/60/80/100mm
4. Silent or Non Silent
5. Market: USA, France, Italy, etc.


**●Parameters**

Diameter mm	Segments Size mm	Blade Thickness	Segment Number	Shape
φ300	20×3.6/3.3/3.0×15(20)	2.2/2.0	38	
φ350	20×3.6/3.3/3.0×15(20)	2.4/2.2	46	
φ400	20×4.0/3.7/3.4×15(20)	2.8/2.4	52	
φ450	20×4.3/4.0/3.7×15(20)	2.8/2.6	60	
φ500	20×4.3/4.0/3.7×15(20)	3.2/2.8	66	
φ550	20×5.0/4.7/4.4×15(20)	3.2/3.0	72	
φ600	20×5.0/4.7/4.4×15(20)	3.6/3.2	80	
φ650	20×5.0/4.7/4.4×15(20)	4.0/3.6	84	
φ700	20×5.4/5.1/4.8×15(20)	4.0/3.8	90	
φ800	20×6.0/5.7/5.4×15(20)	4.5/4.2	100	

Other specifications are available upon request.

**TW6217 SHORT Segments and Blades for Granite**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Good sharpness & Low Prices
3. Bore of Blade: 50/60mm
4. Market: China, Vietnam, Thailand

**●Parameters**

Diameter	Segments Size	Blade	Segment	Shape
mm	mm	Thickness	Number	
φ350	28×3.2×15	2.2	34	I -FLAT/FAN
φ350	31/28×3.2×15	2.2	34	
φ400	31/28×3.8×15	2.8	38	
φ350	24×3.2×13/14	2.2	36	II -M
φ400	24×3.6×13/14	2.6	38	
φ350	24×2.8×15	3.8-2.0	36	III-FLAT
φ400	24×3.0×15	3.8-2.2	40	

Other specifications are available upon request.



I



II



III

**Marble Edge Cutting TW622**
**TW6221 FLAT Type Segments and Blades for Marble**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Good sharpness & Long lifespan & Perfect edge
3. Bore of Blade: 25.4/50/60/80/100mm
4. Market: All over the world



**●Parameters**

Diameter	Segments Size	Blade	Segment	Shape
mm	mm	Thickness	Number	
φ300	43/40×3.2×10(8)	2.2	22	
φ350	43/40×3.2×10(8)	2.2	25	
φ400	43/40×3.6×10(8)	2.6	29	
φ450	43/40×4.0×10(8)	3	32	
φ500	40×4.2×10(8)	3.2	36	
φ550	40×4.2×10(8)	3.6	38	
φ600	40×4.6×10(8)	3.6	42	
φ650	40×5.5×10(8)	4	46	
φ700	40×5.5×10(8)	4	50	
φ750	40×5.5×10(8)	4	54	
φ800	40×6.0×10(8)	4.5	57	

Other specifications are available upon request.

**Sandstone Edge Cutting TW623**
**TW6231 FLAT Type Segments and Blades for Sandstone**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Long lifespan & Perfect edge
3. Bore of Blade: 25.4/50/60/80/100mm
4. Market: All over the world


**●Parameters**

Diameter	Segments Size	Blade	Segment	Shape
mm	mm	Thickness	Number	
φ300	40×3.2×10(15,20)	2.2/2.0	21	
φ350	40×3.2×10(15,20)	2.4/2.2	24	
φ400	40×3.6×10(15,20)	2.8/2.4	28	
φ450	40×3.8×10(15,20)	2.8/2.6	32	
φ500	40×4.2×10(15,20)	3.2/2.8	36	
φ550	40×4.2×10(15,20)	3.2/3.0	38	
φ600	40×4.6×10(15,20)	3.6/3.2	42	
φ650	40×5.0×10(15,20)	4.0/3.6	46	
φ700	40×5.0×10(15,20)	4.0/3.8	50	
φ750	40×5.0×10(15,20)	4.0/3.8	54	
φ800	40×5.5×10(15,20)	4.5/4.2	57	

Other specifications are available upon request.

**Others Edge Cutting TW624**
**TW6241 Edge Cutting Segments and Blades for Quartzite**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Good sharpness & Perfect edge
3. Bore of Blade: 25.4/50/60mm
4. Market: All over the world


**●Parameters**

Diameter	Segments Size	Blade	Segment	Note
mm	mm	Thickness	Number	
φ300	43/40×3.2×10(8)	2.2	22	
φ350	43/40×3.2×10(15)	2.2	25	
φ400	43/40×3.6×10(15)	2.6	29	

Other specifications are available upon request.

**TW6242 Edge Cutting Segments and Blades for Microlite**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Good sharpness & Perfect edge
3. Bore of Blade: 25.4/50/60mm
4. Market: All over the world


**●Parameters**

Diameter	Segments Size	Blade	Segment	Note
mm	mm	Thickness	Number	
φ300	43/40×3.2×10(8)	2.2	22	
φ350	43/40×3.2×10	2.2	25	
φ400	43/40×3.6×10	2.6	29	

Other specifications are available upon request.

**TW6243 Edge Cutting Segments and Blades for Ceramic**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Good sharpness & Perfect edge
3. Bore of Blade: 25.4/50/60mm
4. Market: All over the world


**●Parameters**


Diameter	Segments Size	Blade	Segment	Note
mm	mm	Thickness	Number	
φ300	43/40×3.2×10(8)	2.2	22	
φ350	43/40×3.2×10	2.2	25	
φ400	43/40×3.6×10	2.6	29	

Other specifications are available upon request.

**TW6244 Edge Cutting Segments and Blades for Limestone**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Good sharpness & Long lifespan & Perfect edge
3. Bore of Blade: 25.4/50/60/80/100mm
4. Market: All over the world


**●Parameters**

Diameter	Segments Size	Blade	Segment	Shape
mm	mm	Thickness	Number	
φ300	43/40×3.2×10(12,15)	2.2	22	
φ350	43/40×3.2×10(12,15)	2.2	25	
φ400	43/40×3.6×10(12,15)	2.6	29	
φ450	43/40×4.0×10(12,15)	3	32	
φ500	40×4.2×10(12,15)	3.2	36	
φ550	40×4.2×10(12,15)	3.6	38	
φ600	40×4.6×10(12,15)	3.6	42	
φ650	40×5.5×10(12,15)	4	46	
φ700	40×5.5×10(12,15)	4	50	
φ750	40×5.5×10(12,15)	4	54	
φ800	40×6.0×10(12,15)	4.5	57	

Other specifications are available upon request.

**TW6245 Edge Cutting Segments and Blades for Slate**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Good sharpness & Perfect edge
3. Bore of Blade: 25.4/50/60mm
4. Market: All over the world


**●Parameters**


Diameter	Segments Size	Blade	Segment	Note
mm	mm	Thickness	Number	
φ300	43/40×3.2×10(8)	2.2	22	
φ350	43/40×3.2×10	2.2	25	
φ400	43/40×3.6×10	2.6	29	

Other specifications are available upon request.

**Horizontal Cutting Blades and Segments TW625**
**TW6251 Horizontal Cutting Blades and Segments for Granite**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance:
3. Bore of Blade: 25.4/50/60/80/100mm
4. Market: All over the world


**●Parameters**


Diameter	Segments Size	Blade	Segment	Shape
mm	mm	Thickness	Number	
φ350	40×4.4×10(15)	7.5-3.0	21	
φ400	40×4.4×10(15)	7.5-3.0	24	
φ450	40×4.4×10(15)	7.5-3.0	26	
φ500	40×4.4×10(15)	7.5-3.0	30	
φ550	40×5.5×10(15)	4	32	
φ600	40×5.5×10(15)	4	36	
φ650	40×6.0×10(15)	4.5/4.2	40	

Other specifications are available upon request.

**TW6252 Horizontal Cutting Blades and Segments for Marble**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance:
3. Bore of Blade: 25.4/50/60mm
4. Market: All over the world



**●Parameters**

Diameter	Segments Size	Blade	Segment	Shape
mm	mm	Thickness	Number	
φ350	40×4.6×10(15)	7.5-3.0	21	
φ400	40×4.6×10(15)	7.5-3.0	24	
φ450	40×4.6×10(15)	7.5-3.0	26	
φ500	40×5.5×10(15)	7.5-3.0	30	
φ550	40×6.0×10(15)	4	32	
φ600	40×6.0×10(15)	4	36	
φ650	40×6.0×10(15)	4.5/4.2	40	

Other specifications are available upon request.

**Diamond Blades for Hand-Held Cutting TW63**
**Dry Cutting Blades TW631**
**TW6311 Dry Cutting Blades**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance:
3. Suitable for dry cutting
4. Applications: Granite, Marble, Sandstone, Concrete, Limestone, Ceramic



**●Parameters**

Diameter	Segments Size	Segment	Bore	Shape	Note
mm	mm	Number	mm		
φ105	20×1.8×7(10)	8	16/20 22.23 25.4/50		
φ115	20×1.8×7(10)	9			
φ125	20×2.0×7(10)	10			
φ150	20×2.0×7(10)	10			
φ180	20×2.2×7(10)	14			
φ200	20×2.2×7(10)	14			
φ230	20×2.4×7(10)	16			
φ250	20×2.4×7(10)	18			

Other specifications are available upon request.

**Wet Cutting Blades TW632**
**TW6321 Wet Cutting Blades**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance:
3. Suitable for wet cutting
4. Applications: Granite, Marble, Sandstone, Concrete, Limestone, Ceramic



**●Parameters**

Diameter	Segments Size	Segment	Bore	Shape	Note
mm	mm	Number	mm		
φ105	20×1.8×7(10)	8	16/20 22.23 25.4/50		
φ115	20×1.8×7(10)	9			
φ125	20×2.0×7(10)	10			
φ150	20×2.0×7(10)	10			
φ180	20×2.2×7(10)	14			
φ200	20×2.2×7(10)	14			
φ230	20×2.4×7(10)	16			
φ250	20×2.4×7(10)	18			

Other specifications are available upon request.

**Diamond Blades for Hand-Held Cutting TW63**
**Turbo Cutting Blades TW633**
**TW6331 Turbo Cutting Blades**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance:
3. Suitable for wet or dry cutting
4. Applications: Granite, Marble, Sandstone, Concrete, Ceramic



**●Parameters**

Diameter	Segments Size	Segment	Bore	Shape	Note
mm	mm	Number	mm		
φ105	20×1.8×7(10)	45	16/20 22.23 25.4/50		
φ115	20×1.8×7(10)	48			
φ125	20×2.0×7(10)	48			
φ150	20×2.0×7(10)	72			
φ180	20×2.2×7(10)	80			
φ200	20×2.2×7(10)	90			
φ230	20×2.4×7(10)	120			
φ250	20×2.4×7(10)	130			

Other specifications are available upon request.

**Continuous Cutting Blades TW634**
**TW6341 Continuous Cutting Blades**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance:
3. Suitable for wet cutting
4. Applications: Granite, Marble, Sandstone, Concrete, Ceramic


**●Parameters**

Diameter	Segments Size	Bore	Shape	Note
mm	mm	mm		
φ105	1.8×7(10)	16/20 22.23 25.4/50		
φ115	1.8×7(10)			
φ125	2.0×7(10)			
φ150	2.0×7(10)			
φ180	2.2×7(10)			
φ200	2.2×7(10)			
φ230	2.4×7(10)			
φ250	2.4×7(10)			

Other specifications are available upon request.



**Diamond Wire and Beads TW64**
**●Features**

1. Use the right formula, to fit the hardness of stone.
2. Advance: Super sharp type,
3. Suitable for wet cutting
4. Applications: Granite, Marble


**Diamond Wire for Granite TW641**

Diameter	Application	Diameter	Bore	Shape	Note
		mm			
TW6411	Quarry	φ11.5	Rubber	40	
		φ11.0	Rubber	40	
TW6412	Block Squaring	φ11.0	Plastic	40	
TW6413	Profiling	φ8.8	Plastic	37	
		φ8.3	Plastic	37	
TW6414	Multi-Wire	φ7.5	Plastic	37	

**Diamond Wire for Marble TW642**

Diameter	Application	Diameter	Bore	Shape	Note
		mm			
TW6421	Quarry	φ11.5	Rubber	40	
		φ11.5	Spring	28	
		φ11.0	Rubber		
		φ11.0	Rubber	40	
TW6422	Block Squaring	φ11.0	Plastic	28	
TW6423	Profiling	φ8.8	Plastic	33	
		φ8.3	Plastic	33	



**Floor Grinding & Polishing Block TW71**
**地坪磨块&磨片**
**Fan-shaped Block (扇形磨块) TW711**

Grit (目数)	TW7110	PCD+6#/16#/24#
	TW7111-TW7119	16#/24#/40#/80#/120#/180#
Installation (安装方式)	TW7110-TW7111	3*M8/3*φ9
	TW7112	3*M8
	TW7113	R179-3*M8
	TW7114-TW7115	2*φ13
	TW7116	M6
Type (类型)	H hard bond (耐磨) C15-C25	S soft bond (锋利) C40-C55
	M middle bond (通用) C25-C40	SS super soft (超利) ≥C55



**Werkmaster Block (R38/2\*φ10H8磨块) TW712**

Grit (目数)	TW7120	PCD+6#/16#/24#
	TW7121-TW7128	16#/24#/40#/80#/120#/180#
	TW7129	30#/50#/100#/200#/400#/800#1500#
Installation (安装方式)	TW7120-TW7128	2*φ10H8
	TW7129	Velcro
Type (类型)	<b>H</b> hard bond (耐磨) C15-C25	<b>S</b> soft bond (锋利) C40-C55
	<b>M</b> middle bond (通用) C25-C40	<b>SS</b> supper soft (超利) ≥C55




**HTC Block (HTC磨块) TW713**

Grit (目数)	TW7130	PCD+6#/16#/24#
	TW7131-TW7138	16#/24#/40#/80#/120#/180#
	TW7139	30#/50#/100#/200#/400#/800#1500#
Installation (安装方式)	TW7130-TW7139	HTC-Snap Locking
Type (类型)	<b>H</b> hard bond (耐磨) C15-C25	<b>S</b> soft bond (锋利) C40-C55
	<b>M</b> middle bond (通用) C25-C40	<b>SS</b> supper soft (超利) $\geq$ C55



**Redi Lock Block (Redi Lock 磨块) TW714**

Grit (目数)	TW7140	PCD+6#/16#/24#
	TW7141-TW7148	16#/24#/40#/80#/120#/180#
	TW7149	30#/50#/100#/200#/400#/800#1500#
Installation (安装方式)	TW7140-TW7149	Redi Lock
Type (类型)	<b>H</b> hard bond (耐磨) C15-C25	<b>S</b> soft bond (锋利) C40-C55
	<b>M</b> middle bond (通用) C25-C40	<b>SS</b> supper soft (超利) $\geq$ C55



**Lavina Block (Lavina 磨块) TW715**

Grit (目数)	TW7150	PCD+6#/16#/24#
	TW7151-TW7158	16#/24#/40#/80#/120#/180#
	TW7159	30#/50#/100#/200#/400#/800#1500#
Installation (安装方式)	TW7150-TW7159	M6/M8
Type (类型)	<b>H</b> hard bond (耐磨) C15-C25	<b>S</b> soft bond (锋利) C40-C55
	<b>M</b> middle bond (通用) C25-C40	<b>SS</b> supper soft (超利) $\geq$ C55

**TW7150A TW7151A TW7151B TW7151C TW7151D TW7151E**

**Other Types Block (其他磨块) TW716**

Grit (目数)	TW7160	PCD+6#/16#/24#
	TW7161-TW7168	16#/24#/40#/80#/120#/180#
	TW7169	30#/50#/100#/200#/400#/800#1500#
Installation (安装方式)	TW7160-TW7169	M6/M8
Type (类型)	<b>H</b> hard bond (耐磨) C15-C25	<b>S</b> soft bond (锋利) C40-C55
	<b>M</b> middle bond (通用) C25-C40	<b>SS</b> supper soft (超利) $\geq$ C55

**TW7161A TW7161B TW7162A TW7162B TW7162C TW7163A**


**Floor Grinding & Polishing Plate TW72**
**地坪磨盘磨片**
**China Market Plate (中国市场磨盘) TW721**

Grit (目数)	TW7210	PCD+6#/16#/24#
	TW7211-TW7219	16#/24#/40#/80#/120#/180#
Segment Spec. (刀头尺寸)	TW7211	40×12×12mm
	TW7212	R-40×12×12mm
	TW7213	φ20*12mm
	TW7214	Arrow-12mm
	TW7215	Hexagon-12mm
	TW7216	R30×12×12mm
Type (类型)	H hard bond (耐磨) C15-C25	S soft bond (锋利) C40-C55
	M middle bond (通用) C25-C40	SS supper soft (超利) ≥C55

**TW7210A**

**TW7211A**

**TW7211B**

**TW7212A**

**TW7212B**

**TW7213A**

**TW7214A**

**TW7214B**

**TW7215A**

**TW7216A**

**BACK1**

**BACK2**

**BACK3**

**BACK4**


**φ76 Trapezoid Segments Plate (φ76 梯形刀头磨盘) TW722**

Grit (目数)	TW7220	PCD+6#/16#/24#
	TW7221-TW7229	16#/24#/40#/80#/120#/180#
Installation (安装方式)	TW7221-TW7229	Back1-Back11
Type (类型)	<b>H</b> hard bond (耐磨) C15-C25	<b>S</b> soft bond (锋利) C40-C55
	<b>M</b> middle bond (通用) C25-C40	<b>SS</b> super soft (超利) ≥C55

**TW7221A**

**BACK1**

**TW7221B**

**BACK2**

**TW7221C**

**BACK3**

**TW7221D**

**BACK4**

**BACK5**

**BACK6**

**BACK7**

**BACK8**

**BACK9**

**BACK10**

**BACK11**

**φ76 Other Segment Shape Plate (φ76 其他刀头形状磨盘) TW723**

Grit (目数)	TW7230	PCD+6#/16#/24#
	TW7231-TW7239	16#/24#/40#/80#/120#/180#
Installation (安装方式)	TW7231-TW7239	Back1-Back11
Type (类型)	<b>H</b> hard bond (耐磨) C15-C25	<b>S</b> soft bond (锋利) C40-C55
	<b>M</b> middle bond (通用) C25-C40	<b>SS</b> super soft (超利) ≥C55

**TW7231A**

**BACK**

**TW7231B**

**BACK**



**TW7232A**

**BACK**

**TW7232B**

**BACK**

**TW7232C**

**BACK**

**TW7233A**

**BACK**

**TW7234A**


**BACK**


**Diamond Grinding Head (混凝土磨头) TW724**

Grit (目数)	TW7240-TW7249	16#/24#/40#/80#/120#/180#
Installation (安装方式)	TW7240-TW7249	As Technical Drawing (见图纸)
Type (类型)	<b>H</b> hard bond (耐磨) C15-C25	<b>S</b> soft bond (锋利) C40-C55
	<b>M</b> middle bond (通用) C25-C40	<b>SS</b> supper soft (超利) $\geq$ C55


 **$\phi$ 100- $\phi$ 250 Other Types Plate ( $\phi$ 100- $\phi$ 250 磨盘) TW725**

Grit (目数)	TW7250	PCD+6#/16#/24#
	TW7251-TW7259	16#/24#/40#/80#/120#/180#
Installation (安装方式)	TW7251-TW7259	As Technical Drawing (见图纸)
Type (类型)	<b>H</b> hard bond (耐磨) C15-C25	<b>S</b> soft bond (锋利) C40-C55
	<b>M</b> middle bond (通用) C25-C40	<b>SS</b> supper soft (超利) $\geq$ C55





**Cup Grinding Wheels TW73**
**地坪碗磨**
**PCD Cup Wheels (PCD碗磨) TW731**

Segment Quantity (刀头数量)	4" (100mm)	6×PCD 6×1/2PCD 6×1/4PCD
	5" (125mm)	8×PCD 8×1/2PCD 8×1/4PCD
	7" (180mm)	12×PCD 12×1/2PCD 12×1/4PCD
Installation (安装方式)	TW7310-TW7319	φ16.16/φ22.23/φ25.4/M14/M16/ 5/8"-11

**TW7310A**

**TW7310B**

**Grinding Cup Wheels (金刚碗磨) TW732**

Grit (目数)	TW7321-TW7329	16#/24#/40#/80#/120#/180#
Installation (安装方式)	TW7321-TW7329	φ16.16/φ25.4/M14/M16/ 5/8"-11
Type (类型)	<b>H</b> hard bond (耐磨) C15-C25	<b>S</b> soft bond (锋利) C40-C55
	<b>M</b> middle bond (通用) C25-C40	<b>SS</b> supper soft (超利) ≥C55

**TW7321A**

**TW7321B**

**TW7322A**

**TW7322B**

**TW7322C**

**TW7323A**

**TW7324A**


**TW7325A**

**TW7326A**

**TW7327A**

**TW7328A**

**TW7329A**

**BACK**
**BACK**
**BACK**
**BACK**
**BACK**
**BACK**


**Hot Pressing Cup Wheels (整体热压碗磨) TW733**

Grit (目数)	TW7331-TW7339	16#/24#/40#/80#/120#/180#
Installation (安装方式)	TW7331-TW7339	φ16.16/φ25.4/M14/M16/ 5/8"-11
Type (类型)	<b>H</b> hard bond (耐磨) C15-C25	<b>S</b> soft bond (锋利) C40-C55
	<b>M</b> middle bond (通用) C25-C40	<b>SS</b> supper soft (超利) ≥C55


**Hard Polishing Pad (硬磨片) TW739**

Grit (目数)	TW7390-TW7399	30#/50#/100#/200#/4000#/800#-3000#
Installation (安装方式)	TW7390-TW7399	Velcro Backing
Type (类型)	<b>H</b> hard bond (耐磨) C15-C25	<b>S</b> soft bond (锋利) C40-C55
	<b>M</b> middle bond (通用) C25-C40	<b>SS</b> supper soft (超利) ≥C55



**Floor Grinding & Polishing Frankfurt TW74**
**马蹄地坪磨块**
**Diamond Frankfurt for Concrete (水泥金刚马蹄磨块) TW741**

Grit (目数)	TW7410-7419	16#/24#/40#/80#/120#/180#
Base (底座)	TW7410-7419	Aluminum/Iron/Steel 铝铁钢
Type (类型)	<b>H</b> hard bond (耐磨) C15-C25	<b>S</b> soft bond (锋利) C40-C55
	<b>M</b> middle bond (通用) C25-C40	<b>SS</b> supper soft (超利) $\geq$ C55

**TW7410**  
**Alu-Base**

**TW7411**  
**Iron Base**

**TW7412**  
**Steel Base**

**TW7413**  
**Steel Base**

**TW7414**  
**Steel Base**

**Resin Frankfurt for Concrete (混凝土树脂马蹄磨片) TW742**

Grit (目数)	TW7410-7419	30#/50#/100#/200#/4000#/800#-3000#
Base (底座)	TW7410-7419	Velcro Backing
Type (类型)	<b>H</b> hard bond (耐磨) C15-C25	<b>S</b> soft bond (锋利) C40-C55
	<b>M</b> middle bond (通用) C25-C40	<b>SS</b> supper soft (超利) $\geq$ C55

**TW7420**

**TW77421**

**BACK**


**Cassani Grinding & Polishing Block TW75**
**腰仔型磨块&磨片**
**Diamond Cassani (金刚腰仔型磨块) TW751**

Grit (目数)	Concrete (混凝土)	16#/24#/40#/80#/120#/180#
	Granite (花岗岩)	36#/46#/50#/60#/80#/120# 180#/240#/320#/400#/500#
	Marble (大理石)	
	Quartz Stone (石英石)	
	Terrazzo (水磨石)	
Base (底座)	TW7510-7519	Aluminum/Iron/Steel 铝铁钢
Type (类型)	H hard bond (耐磨)	S soft bond (锋利)
	M middle bond (通用)	SS super soft (超利)

**TW7510**

**TW7511**

**TW7512**

**TW7513**

**TW7514**

**TW7515**

**Magnesite Cassani (菱古土腰仔型磨块) TW752**

Grit (目数)	16#/24#/36#/46#/80#/120#/180 #/240#/320#/400#/500#800#1500#	
Type (类型)	M middle bond (通用)	S soft bond (锋利)

**TW7521**

**TW7522**

**Resin Cassani (树脂腰仔型磨块) TW753**

Grit (目数)	36#/50#/100#/200#/400#500# 800#1000#1500#2000#3000#	
Base (底座)	TW7530-7539	Plastic (塑料) /Velcro (尼龙扣)
Type (类型)	M middle bond (通用)	S soft bond (锋利)

**TW7530**

**BACK1**

**BACK2**

**TW7533**

**BACK**

**Sponge &5-EXTRA Cassani (海绵腰仔型磨块&草酸腰仔型磨块) TW754&TW755**

Grit (目数)	150#/180#/240#320#400#600#800#1000#2000#3000#6000#/10000#0#	
Base (底座)	TW7540-7549	Plastic (塑料) /Velcro (尼龙扣)
Type (类型)	M middle bond (通用)	S soft bond (锋利)

**TW7540**

**BACK1**

**BACK2**

**TW7543**

**BACK**


**Adaptor for Concrete Grinding & Polishing Tools TW79**
**混凝土磨块接头**
**Magnetic Metal Floor Grinding Adaptor (金属地坪磨块磁性接头) TW791**

**Resin Floor Grinding Velcro Adaptor (树脂地坪磨片尼龙扣接头) TW792**


Connecting (连接的磨片)	Items (型号)	Connect to below products(用于连接产品)
	TW7920	TW7129
	TW7921	TW7395
	TW7922	TW7390-TW7394
	TW7923	TW7530/TW7531/TW7540
	TW7924	TW7420/TW7421



### Calibrating Tools for Artificial Quartz Stone TW81

#### Diamond Roller (金刚石滚筒) TW811

TW8111



#### Diamond Roller for Artificial Stone (人造石英石滚筒) :

Diameter (直径)	240
Length (长度)	295/395/495/595/795/995/1195
Segment Width (刀头宽度)	9
Segment Height (刀头高度)	13
Spirals (刀头纹线)	5/7
Grit (目数)	#35 #40 #50 #60 #70 -#200
备注: 根据使用设备种类的不同, 可以实现个性化定制生产。	
Remark: Other specs are available upon request.	

#### Calibrating Wheel (八爪鱼磨轮) TW812

TW8121



#### Calibrating Wheel (八爪鱼磨轮) :

Diameter (直径)	φ146/φ180/φ320
Thickness (厚度)	60mm/80mm/120mm
Spirals (线数)	8/12/22
Segment Size (刀头尺寸)	40×9.5×10
	40×4.5×10
	40×5.2×10
Grit (目数)	#46 #60 #70 #80
Type (类型)	M (通用) / S (锋利)
备注: 根据使用设备种类的不同, 可以实现个性化定制生产。	
Remark: Other specs are available upon request.	

TW8122



#### Calibrating Wheel (八爪鱼磨轮) :

Diameter (直径)	φ180/φ200
Thickness (厚度)	80mm
Spirals (线数)	12
Segment Size (刀头尺寸)	φ180/160×30×10
Grit (目数)	#46 #60 #70 #80
Type (类型)	M (通用) / S (锋利)
备注: 根据使用设备种类的不同, 可以实现个性化定制生产。	
Remark: Other specs are available upon request.	

TW8123



#### Calibrating Wheel (八爪鱼磨轮) :

Diameter (直径)	φ202
Thickness (厚度)	60mm
Spirals (线数)	2
Segment Size (刀头尺寸)	φ37.5/35×12×12
Grit (目数)	#46 #60 #70 #80
Type (类型)	M (通用) / S (锋利)
备注: 根据使用设备种类的不同, 可以实现个性化定制生产。	
Remark: Other specs are available upon request.	

**Scraper Blocks (齿形磨块/磨条) TW813**
**TW8131**

**Scraper (两齿磨条) :**

Diameter (直径)	φ720
Segment Size (刀头尺寸)	38×12×20
Grit (目数)	#46 #60 #70 #80
Type (类型)	M (通用) /S (锋利)
备注: 根据使用设备种类的不同, 可以实现个性化定制生产。	
Remark: Other specs are available upon request.	

**TW8132**

**Scraper (三齿磨条) :**

Diameter (直径)	φ720
Segment Size (刀头尺寸)	24×12×20
Grit (目数)	#46 #60 #70 #80
Type (类型)	M (通用) /S (锋利)
备注: 根据使用设备种类的不同, 可以实现个性化定制生产。	
Remark: Other specs are available upon request.	

**TW8133**

**Scraper (五齿磨条) :**

Diameter (直径)	φ720
Segment Size (刀头尺寸)	30×12×20
Grit (目数)	#46 #60 #70 #80
Type (类型)	M (通用) /S (锋利)
备注: 根据使用设备种类的不同, 可以实现个性化定制生产。	
Remark: Other specs are available upon request.	

**Diamond Frankfurt (金刚马蹄) TW814**
**TW8141**

**Frankfurt (石英石金刚马蹄) :**

Segment Size (刀头尺寸)	H6
Grit (目数)	#46 #60 #120 #240 #320
Type (类型)	M (通用) /S (锋利)
备注: 根据使用设备种类的不同, 可以实现个性化定制生产。	
Remark: Other specs are available upon request.	

**TW8142**

**Frankfurt (石英石金刚马蹄) :**

Segment Size (刀头尺寸)	24×10×10
Grit (目数)	#46 #60 #120 #240 #320
Type (类型)	M (通用) /S (锋利)
备注: 根据使用设备种类的不同, 可以实现个性化定制生产。	
Remark: Other specs are available upon request.	

**Edge Grinding Wheel for Artificial Quartz Stone TW82**

**Segmented Squaring Wheel (分齿型烧结磨边轮) TW821**

**TW8211**



Body Thickness (基体厚度)	12mm
Outer Dia (外径)	150/200/250/300
Hole Dia (孔径)	30/32/50/80/140
Mounting Holes (孔数)	3/4/6/12
Distance Between centers of mounting holes (安装孔中心距)	60/80/105/110/165
Segment Width (刀头宽度)	8/9/10/12
Segment Height (刀头高度)	8/10/12/14
Remark: Other specs are available upon request.	

**Continuous Squaring Wheel (连续型热压磨边轮) TW822**

**TW8221**



Body Thickness (基体厚度)	12mm
Outer Dia (外径)	150/200/250/300
Hole Dia (孔径)	32/50/80/140
Mounting Holes (孔数)	3/4/6/12
Distance Between centers of mounting holes (安装孔中心距)	60/80/105/110/165
Segment Width (刀头宽度)	7.5/10/12
Segment Height (刀头高度)	10/12/14
Remark: Other specs are available upon request.	



### Fickert Abrasive for Artificial Quartz Stone (人造石英石金刚布拉) TW83

#### Diamond Fickert TW831

**TW8311**



**Metal bond (人造石金属布拉) :**

Size (尺寸)	14cm and 17cm
Working Height (工作高度)	H15
Grit (目数)	#36 #46 #60 #70 #80 #120 #170 #230 #270 #320 #400
Type (类型)	M (通用) /S (锋利)
Base (底座)	PP(塑料)
Remark:Other specs are available upon request.	

**TW8312**



**Metal bond (人造石金属布拉) :**

Size (尺寸)	14cm and 17cm
Working Height (工作高度)	H15
Grit (目数)	#36 #46 #60 #70 #80 #120 #170 #230 #270 #320 #400
Type (类型)	M (通用) /S (锋利)
Base (底座)	Aluminium(铝)
Remark:Other specs are available upon request.	

#### Megnisite Fickert (石英石菱古土布拉) TW832

**TW8321**



**Megnisite Fickert (菱古土布拉) :**

Size (尺寸)	14cm and 17cm
Working Height (工作高度)	H35
Grit (目数)	#16 - #280, #320 - #800, #1000 - #1500
Type (类型)	M (通用) /S (锋利)
Remark:Other specs are available upon request.	

#### Resin Fickert (石英石树脂布拉) TW833

**TW8331**



**Resin bond (人造石树脂布拉) :**

Size (尺寸)	14cm and 17cm
Working Height (工作高度)	H20
Grit (目数)	#120 #240 #320 #400 #500 #600 #800 #-1500
Type (类型)	M (通用) /S (锋利)
Remark:Other specs are available upon request.	

#### Sponge Fickert (石英石海绵布拉) TW834

**TW8341**



**Sponge bond (人造石海绵布拉) :**

Size (尺寸)	14cm and 17cm
Working Height (工作高度)	H12
Grit (目数)	#800 #1500 #3000 #6000
Type (类型)	M (通用) /S (锋利)
Remark:Other specs are available upon request.	

### Calibrating Tools for Ceramic & Slate (陶瓷岩板校正工具) TW91

#### Diamond Roller (陶瓷用金刚石滚筒) TW911

TW9111



##### Diamond Roller for Ceramic (陶瓷滚筒) :

Diameter (直径)	240
Length (长度)	295/395/495/595/795/995/1195
Segment Width (刀头宽度)	9
Segment Height (刀头高度)	13
Spirals (刀头纹线)	5/7
Grit (目数)	#35 #40 #50 #60 #70 -#200

#### Calibrating Wheel (陶瓷八爪鱼磨轮) TW912

TW9121



##### Calibrating Wheel (八爪鱼磨轮) :

Diameter (直径)	φ202
Thickness (厚度)	60mm
Spirals (线数)	2
Segment Size (刀头尺寸)	φ37.5/35×12×12
Grit (目数)	#46 #60 #70 #80
Type (类型)	M (通用) / S (锋利)
备注: 根据使用设备种类的不同, 可以实现个性化定制生产。	
Remark: Other specs are available upon request.	

### Edge Grinding Wheels for Ceramic & Slate (陶瓷岩板磨边轮) TW92

#### Squaring Wheel (分齿型烧结陶瓷磨边轮) TW921

TW9211



##### Segmented Squaring Wheel (分齿型烧结磨边轮) :

Body Thickness (基体厚度)	12mm
Outer Dia (外径)	150/200/250/300
Hole Dia (孔径)	30/32/50/80/140
Mounting Holes (孔数)	3/4/6/12
Distance Between centers of mounting holes (安装孔中心距)	60/80/105/110/165
Segment Width (刀头宽度)	8/9/10/12
Segment Height (刀头高度)	8/10/12/14
Remark: Other specs are available upon request.	

### Fickert Abrasive for Ceramic & Slate (陶瓷岩板布拉磨块) TW93

#### Diamond Fickert (陶瓷岩板金刚布拉) TW931

TW9311



Size (尺寸)	14cm and 17cm
Working Height (工作高度)	H15
Grit (目数)	#36 #46 #60 #70 #80 #120 #170 #230-400
Type (类型)	M (通用) /S (锋利)
Base (底座)	PP(塑料)
Remark:Other specs are available upon request.	

TW9312



Size (尺寸)	14cm and 17cm
Working Height (工作高度)	H15
Grit (目数)	#36 #46 #60 #70 #80 #120 #170 #230-400
Type (类型)	M (通用) /S (锋利)
Base (底座)	Aluminium(铝)
Remark:Other specs are available upon request.	

#### Megnisite Fickert (菱古土陶瓷岩板布拉) TW932

TW9321



Size (尺寸)	14cm and 17cm
Working Height (工作高度)	H35
Grit (目数)	#16 - #280, #320 - #800, #1000 - #1500
Type (类型)	M (通用) /S (锋利)
Base (底座)	Aluminium(铝)
Remark:Other specs are available upon request.	

#### Resin Fickert (树脂陶瓷岩板布拉) TW933

TW9331



Size (尺寸)	14cm and 17cm
Working Height (工作高度)	H10 H12
Grit (目数)	#120 #150 #180 #240 #320 #-8000
Type (类型)	M (通用) /S (锋利)
Remark:Other specs are available upon request.	

TW9332



Size (尺寸)	14cm and 17cm
Working Height (工作高度)	H10 H12
Grit (目数)	#120 #150 #180 #240 #320 #-8000
Type (类型)	M (通用) /S (锋利)
Remark:Other specs are available upon request.	

#### BUFF Fickert (陶瓷岩板抛光布拉) TW934

TW9341



Size (尺寸)	14cm and 17cm
Working Height (工作高度)	H20 H30
Grit (目数)	#120 #150 #180 #240 #320 #-8000
Type (类型)	M (通用) /S (锋利)
Remark:Other specs are available upon request.	

*Best Quality and Best Service Wins Best Customer.  
We are waiting for your inquiry*

SCAN QR CODE TO SEARCH OUR WEBSITE FOR MORE INFORMATION.



Our official website  
官方网站



Wechat  
微信

Or find us by searching "tianwu tools" on Facebook, LinkedIn, Google and Twitter.



**Tel: +86-59522622166**  
**Mobile/Whatsapp: +86-180 6000 5940**  
**Add: Xunmei New Hi-Tech Industrial Park,**  
**Fengze,Quanzhou,Fujian,China**  
**Email: [tianwutools@tianwutools.com](mailto:tianwutools@tianwutools.com)**  
**[Http://www.tianwutools.com](http://www.tianwutools.com)**